





Dimensions in mm

Technical data

Main product function	Testing accessories
Total number of potentials	1

Electrical data

Rated current	20 A
Test voltage	42 V

Connection data

Connection technology	CAGE CLAMP®
Strip length	9 ... 11 mm / 0.35 ... 0.43 inches
Total number of connection points	1
Solid conductor	0.08 ... 2.5 mm² / 28 ... 14 AWG
Fine-stranded conductor	0.08 ... 2.5 mm² / 28 ... 14 AWG

Physical data

Width	8 mm / 0.315 inches
Height	15 mm / 0.591 inches
Depth	40 mm / 1.575 inches

Material data

Color	orange
Fire load	0.04 MJ
Weight	3.9 g



Commercial data		
Product Group	2 (Terminal Block Accessories)	
eCl@ss 10.0	27-44-03-13	
eCl@ss 9.0	27-44-03-13	
ETIM 8.0	EC002255	
ETIM 7.0	EC002255	
PU (SPU)	50 Stück	
Packaging type	Box	
Country of origin VKOrg Germany	DE	
GTIN	4045454293468	
Customs tariff number VKOrg Germany	85366990990	

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 215-211


↓

Documentation				
Bid Text				
215-211	19.02.2019	xml	3.02 KB	↓
215-211	19.09.2017	doc	24.50 KB	↓

CAD/CAE-Data	
CAE data	
EPLAN Data Portal 215-211	↓
WSCAD Universe 215-211	↓


Installation notes

Conductor termination



Conductor termination: Press button fully, insert stripped conductor into square entry and release.

Testing



Testing via banana plug.
Picture shows a test plug adapter
(209-170).