



**Part Number :** [1200685035](#)

**Product Description :** Micro-Change (M12) Solid Body Splitter, 1 x 4-Pole Male to 2 x 3-Pole Females, Clear Overmold with LEDs

**Series Number :** 120068

**Status :** Active

**Product Category :** Industrial Tees and Splitters

**Engineering Number :** 884AP0



---

## Documents & Resources

### Drawings

[1200685035\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

China RoHS	Not Reviewed
EU ELV	Not Reviewed
Low-Halogen Status	Not Reviewed
REACH SVHC	Not Reviewed
EU RoHS	Not Reviewed

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Industrial Tees and Splitters
Series	120068
Description	Micro-Change (M12) Solid Body Splitter, 1 x 4-Pole Male to 2 x 3-Pole Females, Clear Overmold with LEDs
IP Rating	IP67
Product Name	Micro-Change (M12)
Type	Splitter - Solid Body
UPC	883906318871

### Electrical

Current - Maximum per Contact	4.0A
Voltage - Maximum	24V DC

### Physical

Drop Connector	Micro-Change (M12)
Drop Gender	Male
Keyway	Single
LED Indicator	Green, Red, Yellow
Left Trunk Connector	Micro-Change (M12)
Left Trunk Gender	Female
Leg 1 Length	N/A
Leg 2 Length	N/A
Material - Cable Jacket	N/A
Material - Connector Body	PVC
Material - Coupling Nut	Black Epoxy Coated Zinc
Net Weight	45.250/g
Poles	3 Female/4 Male
Right Trunk Connector	Micro-Change (M12)
Right Trunk Gender	Female
Temperature Range - Operating	-25°C to +90°C

---

---

This document was generated on Feb 13, 2025