

	13	12	11	10	9	8	7	6	5	4	3	2	1		
J	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. G	DIM. T								J
	A-4380-NA197-*	42663-0302	(14.22) .560	(7.49) .295	(3.43) .135	N/A	OVERALL								
I	A-4380-NA241-*	42663-0305	(14.22) .560	(7.49) .295	(3.43) .135	(3.56) .140	(3.43) .135								I
	A-4380-NC197-*	42663-0562	(17.53) .690	(11.13) .438	(3.10) .122	N/A	OVERALL								
H														H	
G														G	
F														F	
E														E	
D														D	
C														C	
B														B	
A														A	
tb_frame_C_P_ME_T Rev. F 2009/06/18															
	12	11	10	9	8	7	6	5	4	3	2	1			

CHANGE PIN EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/23 CHKD:HKIPPER 2012/01/23 APPR:FSMITH 2012/02/02	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
		=0 =0 =0		mm	INCH	DRAWN BY SAMIEC	DATE 1984/09/07	TITLE KK HEADER (2.54)/.100 CENTERS 4030 WITH VOIDS				
			4 PLACES	± ---	± ---	CHECKED BY	DATE					
			3 PLACES	± ---	± ---	DS	1984/09/07	MOLEX INCORPORATED				
			2 PLACES	± ---	± ---	APPROVED BY KJA	DATE 1984/09/07					
		1 PLACE	± ---	± ---	ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART		SDA-4380		2 OF 3		
						SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

	13	12	11	10	9	8	7	6	5	4	3	2	1												
J	A-4380-NA197-*			A-4380-NA241-*			A-4380-NC197-*																		
	PART NO.	ENG. NO.	VOID CKT.	PART NO.	ENG. NO.	VOID CKT.	PART NO.	ENG. NO.	VOID CKT.																
	22-04-2038	A-4380-3A197-2	2	22-11-2031	A-4380-3A241-1	1	22-04-2063	A-4380-6C197-2	2																
	22-04-2041	A-4380-4A197-2	2	22-11-2061	A-4380-6A241-2	2	22-04-2073	A-4380-7C197-2	2																
	22-04-2161	A-4380-16A197-2	2	22-11-2071	A-4380-7A241-2	2																			
				22-11-2081	A-4380-8A241-2	2																			
I																									
H																									
G																									
F																									
E																									
D																									
C																									
B																									
A																									
tb_frame_C_P_ME_T Rev. G 2012/01/11														12	11	10	9	8	7	6	5	4	3	2	1

SEE SHEET 1 EC NO: UCP2015-3608 2015/03/04 DRWN:KIPPER CHKD:NGUYEN 2015/03/04 APPR:FSMITH 2015/03/10	DESCRIPTION REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION						
		 		mm	INCH	DRAWN BY KKS	DATE 1984/09/07	TITLE KK HEADER (2.54)/.100 CENTERS 4030 WITH VOIDS molex							
			4 PLACES	± ---	± ---	CHECKED BY DS	DATE 1984/09/07								
			3 PLACES	± ---	± ---	APPROVED BY		DATE	MATERIAL NO. SEE CHART	DOCUMENT NO. SDA-4380	SHEET NO. 3 OF 3				
			2 PLACES	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									
			1 PLACE	± ---	± ---	ANGULAR ±1/2°									
		0 PLACE	±	±	SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								