

Plug-in card block - SKBI 31 - 2201519

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



19" plug-in card block, color: green, Number of positions per row: 31, product range: SKBI 31, pitch: 5 mm, type of packaging: packed in cardboard



Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 053260
GTIN	4017918053260
Weight per Piece (excluding packing)	158.700 g
Custom tariff number	85369010
Country of origin	Poland

Technical data

Dimensions

Length	43 mm
Height	129 mm
Width	112 mm
Pitch	5 mm
Hole diameter	4.2 mm

General

Range of articles	SKBI 31
Connection in acc. with standard	EN-VDE
Nominal current I_N	5 A
Nominal voltage U_N	250 V

Plug-in card block - SKBI 31 - 2201519

Technical data

General

Nominal cross section	2.5 mm ²
Stripping length	8 mm
Screw thread	M3
Tightening torque, min	0.5 Nm
Tightening torque max	0.6 Nm
Number of positions	31

Standards and Regulations


Connection in acc. with standard	EN-VDE
----------------------------------	--------

Environmental Product Compliance


REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing



Schematic diagram



Classifications

eCI@ss

eCI@ss 10.0.1	27141152
---------------	----------

Plug-in card block - SKBI 31 - 2201519

Classifications

eCl@ss

eCl@ss 11.0	27141152
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27260700
eCl@ss 6.0	27260700
eCl@ss 7.0	27141152
eCl@ss 9.0	27141152

ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC002642
ETIM 6.0	EC002780
ETIM 7.0	EC002780

UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121432
UNSPSC 18.0	39121432
UNSPSC 19.0	39121432
UNSPSC 20.0	39121432
UNSPSC 21.0	39121432

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Plug-in card block - SKBI 31 - 2201519

Approvals

EAC



B.01687

Accessories

Accessories

Coding element

Coding element - CS-SKBI - 2204082

Coding pin, plastic, is subsequently inserted into a contact of the SKBI, color: Red

Mounting rail adapter

Foot element - SF-SKBI 31/32 - 2261009

Snap foot, for horizontal or vertical mounting of the SKBI plug-in card blocks, on the NS 35/7.5 DIN rail

Screwdriver tools

Screwdriver - SZS 0,6X3,5 - 1205053



Actuation tool, for ST terminal blocks, insulated, also suitable for use as a bladed screwdriver, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip