



RAYCHEM

TE Internal #: 806806-000


Right Angle, Size 222, Lipped, 25, 25, Adhesive Purchased

Separately Adhesive Requirement, -75 – 150 °C [-103 – 302 °F],

Heat Shrink Boots

[View on TE.com >](#)

Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots > Heat Shrink Boots: Lipped, Right Angle



Body Orientation: **Right Angle**

Molded Part Shape Code: **222**

Lipped: **Yes**

Material Code: **25**

Material Systems Code: **25**

[All Heat Shrink Boots: Lipped, Right Angle \(40\)](#)

## Features

### Configuration Features

Lipped	Yes
Adhesive Requirement	Adhesive Purchased Separately

### Body Features

Primary Product Material	Fluid Resistant Modified Elastomer
Material Code	25
Material Systems Code	25

### Housing Features

Body Orientation	Right Angle
------------------	-------------

### Dimensions

Compatible Cable Diameter (Max)	3 mm, 3.5 mm, 4 mm [.11 in][.13 in][.15 in]
Compatible Cable Diameter Range	2.6 – 5.5 mm [2.6 – 5.6 in]

### Usage Conditions

Operating Temperature Range	-75 – 150 °C [-103 – 302 °F]
Resistance Protection	Long-Term Fluid Exposure at High Temperatures

### Industry Standards

--	--



Compatible With Approved Standards Products	BS-G-198-5-DE, DEF Std 59-97 Issue 3 Type DE, IEC 62329-3-102, MIS-34867
---	--

**Other**

Molded Part Shape Code	222
------------------------	-----

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

**Product Compliance Disclaimer**

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

**Compatible Parts**



## Customers Also Bought



TE Part #806696-000  
Heat Shrink Boots: Non Lipped, Straight



TE Part #878513-000  
Bulbous Heat Shrink Boots: Lipped, Right Angle



TE Part #9353250001  
RPS-16-10/2.0-4



TE Part #2820143006  
44A0111-18-4

TE Part #CB92974001  
RW-200-E-NR542-0-SP



TE Part #CD61053001  
44A0111-18-0CK0300



TE Part #CD61063001  
44A0111-18-2CK0300

## Documents

### Product Drawings

[222D932-25-0](#)

English

### Datasheets & Catalog Pages

[1654025\\_Sec4\\_-25](#)

English

### Raychem Molded Parts Visual Guide

English

### Solutions for Defense Applications Certified to VG Standards

English

### Product Specifications

[Product Specification](#)

English