

# Data Sheet | Item Number: 285-1171

Jumper; insulated; gray

<https://www.wago.com/285-1171>



Color: ■ gray

## Electrical data

### Ratings per IEC/EN

Rated current	309 A
---------------	-------

## Physical data

Width	53.4 mm / 2.102 inches
Height	34.5 mm / 1.358 inches
Depth	48 mm / 1.89 inches
Jumper assignment	1-2

## Material data

Note (material data)

[Information on material specifications can be found here](#)

Color	gray
Fire load	0 MJ
Weight	97 g

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 8.0	EC000489
PU (SPU)	25 (5) pcs
Packaging type	Box
Country of origin	DE
GTIN	4055143067003
Customs tariff number	85366990990

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Approvals / Certificates**

**General approvals** **Approvals for hazardous areas**



Approval	Standard	Certificate Name
CSA DEKRA Certification B.V.	C22.2	154112



Approval	Standard	Certificate Name
AEx Underwriters Laboratories Inc.	UL 60079	E185892 (AEx eb II C resp. Ex eb II C)

**Downloads**

**Environmental Product Compliance**

Compliance Search

Environmental Product Compliance 285-1171	↓
---	---

**Documentation**

Additional Information

Technical Section	pdf 2246.92 KB	↓
-------------------	-------------------	---

Bid Text

285-1171	19.02.2019	xml 2.56 KB	↓
285-1171	04.01.2018	doc 22.50 KB	↓

**CAD/CAE-Data**

CAD data



2D/3D Models 285-1171	↓
--------------------------	---

CAE data

EPLAN Data Portal 285-1171	↓
ZUKEN Portal 285-1171	↓

**Installation Notes**

**Commoning**



Commoning with an adjacent jumper: insert the jumper above the conductor entry hole – prior to conductor termination. The nominal cross-section remains unchanged.

Removing jumper via operating tool.

Subject to changes. Please also observe the further product documentation!

---

Current addresses can be found at: [www.wago.com](http://www.wago.com)