

RC module - EMG 17-RC/0,22MYF/220R/S - 2948270


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Motor attenuation module, for star-connected three-phase motors. Power range 4 kW



Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 017918 083229
GTIN	4017918083229
Weight per Piece (excluding packing)	62.300 g
Custom tariff number	85363010
Country of origin	Germany

Technical data

Dimensions

Width	17.5 mm
Height	75 mm
Depth	100 mm

Ambient conditions

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C

General

Nominal voltage (Phase voltage)	500 V AC (phase conductor/phase conductor)
Nominal motor power	4 kW
Type of circuit	Star circuit
Resistor in RC combination	220 Ω
Capacitor in RC combination	0.22 μF

RC module - EMG 17-RC/0,22MYF/220R/S - 2948270

Technical data

General

Nominal frequency f_N	50 Hz (60 Hz)
Power dissipation	0.5 W
Mounting position	any
Assembly instructions	In rows with zero spacing

Standards and Regulations

Standards/regulations	DIN EN 50178
Rated insulation voltage	300 V
Pollution degree	2
Low Voltage Directive	Conformance with LV directive 2006/95/EC


Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

RC module - EMG 17-RC/0,22MYF/220R/S - 2948270

Circuit diagram



Classifications

eCl@ss

eCl@ss 4.0	27210100
eCl@ss 4.1	27210100
eCl@ss 5.0	27371000
eCl@ss 5.1	27371000
eCl@ss 6.0	27371000
eCl@ss 7.0	27371010
eCl@ss 8.0	27371010
eCl@ss 9.0	27371010

RC module - EMG 17-RC/0,22MYF/220R/S - 2948270

Classifications

ETIM

ETIM 4.0	EC000683
ETIM 5.0	EC000683
ETIM 6.0	EC000683
ETIM 7.0	EC000683

UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	39121008
UNSPSC 11	39121008
UNSPSC 12.01	39121008
UNSPSC 13.2	39121008
UNSPSC 18.0	32151504
UNSPSC 19.0	32151504
UNSPSC 20.0	32151504
UNSPSC 21.0	32151504

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU*DE*08.B.01841/19
-----	--	---------------------

Accessories

Accessories

Marking material - EMG-GKS 12 - 2947035



Device marking label, width: 12 mm, area: 12 x 8 mm, e.g. for EML(10x7) R adhesive marking material

RC module - EMG 17-RC/0,22MYF/220R/S - 2948270

Accessories

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>