



Extract from the online catalog

FL SM PATCH 2,0 LC-LC

Order No.: 2989284



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2989284>

Assembled fiber optics cable, break-out cable, glass fiber single mode 9/125 µm, LC/IP20 on LC/IP20, for installation inside control cabinets, length: 2 m

Commercial data	
EAN	4046356354790
Pack	1 pcs.
Customs tariff	85444210
Weight/Piece	0.0399 KG
Catalog page information	Page 202 (AX-2009)

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

External sheath	
Outer sheath, material	LSZH
External sheath, color	Yellow
External sheath, strain relief elements	Aramide/glass fibers

Single wire	
Individual wire, diameter	2.8 mm

Mechanical properties	
Bending radius, long-term	60 mm
Lateral pressure, long-term	30 N/cm

FL SM PATCH 2,0 LC-LC Order No.: 2989284
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2989284>

Ambient temperature (operation)	-5 °C ... 70 °C
Ambient temperature (storage/transport)	-25 °C ... 70 °C

General data

Cable weight	15.8 kg/km
--------------	------------

onlinecomponents.com

FL SM PATCH 2,0 LC-LC Order No.: 2989284
<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2989284>

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2009 Phoenix Contact
Technical modifications reserved;

onlinecomponents.com