



**Part Number :** [936010412](#)

**Product Description :** GWconnect Turned Crimp Contact for 40A Inserts and Modules, Female, Silver (Ag) Plated Copper Alloy, 6.00mm<sup>2</sup> (10 AWG), 100 per Bag

**Series Number :** 93601

**Status :** Active

**Product Category :** Heavy-Duty Contacts

**Engineering Number :** 7600.5703.0



---

## Documents & Resources

### Drawings

[936010412\\_sd.pdf](#)


### Specifications

[936010406-S00.pdf](#)

---

## Product Environment Compliance

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Reviewed per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2024)6225-DC (07 Nov 2024)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C

- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

---

## Part Details

### General

Status	Active
Category	Heavy-Duty Contacts
Series	93601
Description	GWconnect Turned Crimp Contact for 40A Inserts and Modules, Female, Silver (Ag) Plated Copper Alloy, 6.00mm <sup>2</sup> (10 AWG), 100 per Bag
Contact Type	Turned Crimp
Product Name	GWconnect
UPC	887191888705

### Agency

CSA	256883
UL	E249674

### Electrical

Current - Maximum per Contact	40.0A
-------------------------------	-------

### Physical

Gender	Female
Material - Contact	Copper Alloy
Material - Plating	Silver
Net Weight	3.000/g
Number of Grooves	0
Packaging Type	Bag
Stripping Length	9.60mm
Wire Size (AWG)	10
Wire Size mm <sup>2</sup>	6.00

---

## Mates With / Use With

### Mates with Part(s)

Description	Part Number
GWconnect Heavy-Duty Connectors and Accessories	<u>93601</u>

### Use with Part(s)

Description	Part Number
Use With	S-K, S-Q, S-QD, and S-M Inserts

---