

Cover profile - FBP-3/17 TR



3069997

<https://www.phoenixcontact.com/de/produkte/3069997>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cover profile, can optionally be sealed, length: 171.2 mm, width: 74.1 mm, height: 32 mm, color: transparent

Commercial Data

Item number	3069997
Packing unit	1 pc
Minimum order quantity	1 pc
Sales Key	A1 - Reihenklemmen
Product Key	BE6113
GTIN	4055626398846
Weight per Piece (including packing)	99,99 g
Weight per Piece (excluding packing)	99,99 g
Customs tariff number	39162000
Country of origin	PL

Cover profile - FBP-3/17 TR

3069997

<https://www.phoenixcontact.com/de/produkte/3069997>



Technical Data

Product properties

Product type	Cover profile
--------------	---------------

Insulation characteristics

Overvoltage category	III
----------------------	-----

Dimensions

Width	74.1 mm
Height	32 mm
Length	171.2 mm

Material specifications

Color	transparent
Flammability rating according to UL 94	V0
Insulating material group	I
Insulating material	PVC

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

Cover profile - FBP-3/17 TR

3069997

<https://www.phoenixcontact.com/de/produkte/3069997>



Classifications

ECLASS

ECLASS-9.0	27141190
ECLASS-10.0.1	27141190
ECLASS-11.0	27141190

ETIM

ETIM 8.0	EC002848
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Cover profile - FBP-3/17 TR

3069997

<https://www.phoenixcontact.com/de/produkte/3069997>



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH
Flachmarktstraße 8
D-32825 Blomberg
+49 52 35/3-1 20 00
info@phoenixcontact.de