

Cable duct - CD-HF 25X80 BU



3240585

<https://www.phoenixcontact.com/us/products/3240585>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable duct for installation and mounting in control cabinets, blue, halogen-free, comprising upper part and mounting base, width: 25 mm, height: 80 mm, length: 2000 mm

Commercial Data

Item number	3240585
Packing unit	1 pc
Minimum order quantity	10 pc
Note	Made to Order (non-returnable)
Sales Key	B18
Product Key	BE7442
Catalog Page	Page 579 (C-3-2019)
GTIN	4046356630030
Weight per Piece (including packing)	556 g
Weight per Piece (excluding packing)	556 g
Customs tariff number	39259020
Country of origin	DE

Cable duct - CD-HF 25X80 BU

3240585

<https://www.phoenixcontact.com/us/products/3240585>



Technical Data

Product properties

Product type	Wiring duct
--------------	-------------

Connection data

Nominal cross section	1202 mm ²
-----------------------	----------------------

Dimensions

Dimensional drawing	
Width	25 mm
Height	80 mm
Length	2000 mm

Material specifications

Color	blue
Material	PC/ABS
Flammability rating according to UL 94	V0
Components	halogen-free

Cable / line

Halogen-free	yes
--------------	-----

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 90 °C
---------------------------------	------------------


Cable duct - CD-HF 25X80 BU

3240585

<https://www.phoenixcontact.com/us/products/3240585>



Drawings



Base perforation according to DIN EN 50085

Cable duct - CD-HF 25X80 BU




3240585


<https://www.phoenixcontact.com/us/products/3240585>

Approvals

 **CSA**
Approval ID: 248269

 **VDE Zeichengenehmigung**
Approval ID: 40028972

 **EAC**
Approval ID: RU C-DE.PB68.W.00513

 **UL Recognized**
Approval ID: FILE E 328576

Cable duct - CD-HF 25X80 BU



3240585

<https://www.phoenixcontact.com/us/products/3240585>

Classifications

ECLASS

ECLASS-9.0	27400703
ECLASS-10.0.1	27400703
ECLASS-11.0	27400703

ETIM

ETIM 8.0	EC000012
----------	----------

UNSPSC

UNSPSC 21.0	39131700
-------------	----------

Cable duct - CD-HF 25X80 BU

3240585

<https://www.phoenixcontact.com/us/products/3240585>



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Cable duct - CD-HF 25X80 BU

3240585

<https://www.phoenixcontact.com/us/products/3240585>



Accessories

Fastening clip

Fastening clip - RVT-PA 4 - 3240498

<https://www.phoenixcontact.com/us/products/3240498>



Plastic body-bound rivet, for hole diameter of 4 mm and a material thickness of 1.5 ... 6 mm

Fastening clip

Fastening clip - RVT-PA 6 - 3240499

<https://www.phoenixcontact.com/us/products/3240499>



Plastic body-bound rivet, for hole diameter of 6 mm and a material thickness of 1.5 ... 6 mm

Cable duct - CD-HF 25X80 BU

3240585

<https://www.phoenixcontact.com/us/products/3240585>



Tool

Tool - UNIFOX-RVT P 4 - 1212478

<https://www.phoenixcontact.com/us/products/1212478>



Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets

Tool

Tool - UNIFOX-RVT P 6 - 1212509

<https://www.phoenixcontact.com/us/products/1212509>



Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com