

Insertion bridge - EB 4-25/PT



3260161

<https://www.phoenixcontact.com/de/produkte/3260161>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Insertion bridge, pitch: 25 mm, color: red



Commercial Data

Item number	3260161
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	A1 - Reihenklennen
Product Key	BE2Z2X
Catalog Page	Page 138 (C-1-2019)
GTIN	4055626137476
Weight per Piece (including packing)	109,58 g
Weight per Piece (excluding packing)	9,99 g
Customs tariff number	85366990
Country of origin	PL

Insertion bridge - EB 4-25/PT



3260161

<https://www.phoenixcontact.com/de/produkte/3260161>

Technical Data

Product properties

Product type	Insertion bridge
Number of positions	4
Pitch	25 mm

Electrical properties

Maximum load current	150 A
----------------------	-------

Connection data

Maximum load current	150 A
----------------------	-------

Dimensions

Width	97.8 mm
Height	28.6 mm
Length	73.3 mm
Pitch	25 mm

Material specifications

Color	red
Material	Metal
Flammability rating according to UL 94	V0
Coating	tin-plated
Insulating material	PA

Mounting

Mounting type	Plug-in mounting
---------------	------------------

Insertion bridge - EB 4-25/PT

3260161

<https://www.phoenixcontact.com/de/produkte/3260161>



Classifications

ECLASS

ECLASS-9.0	27141140
ECLASS-10.0.1	27141140
ECLASS-11.0	27141140

ETIM

ETIM 8.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Insertion bridge - EB 4-25/PT

3260161

<https://www.phoenixcontact.com/de/produkte/3260161>



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH
Flachmarktstraße 8
D-32825 Blomberg
+49 52 35/3-1 20 00
info@phoenixcontact.de