

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [34900-6010](#)
Status: **Active**
Overview: MXP120™ Sealed Connector System
Description: MXP120™ Sealed Receptacle, 6 Circuit, Yellow SIR Housing (T3-V2-S2 -125°C on-engine vibration), Polarization A, Black

Documents:

[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Test Summary TS-34900-0002 \(PDF\)](#) [Product Literature \(PDF\)](#)

General

Product Family	Crimp Housings
Series	34900
Application	Sealed, Wire-to-Wire
Comments	Polarization A, Black
Overview	MXP120™ Sealed Connector System
Polarization	A
Product Literature Order No	987650-7994
Product Name	MXP120™ Sealed
UPC	887191166575

Physical

Circuits (maximum)	6
Color - Resin	Yellow
Gender	Female
Glow-Wire Compliant	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Net Weight	6.500/g
Number of Rows	1
Packaging Type	Bag, Carton
Panel Mount	No
Pitch - Mating Interface	4.00mm
Pitch - Termination Interface	4.00mm
Polarized to Mating Part	Yes
Ports	1
Temperature Range - Operating	-40°C to +125°C

Electrical

Current - Maximum per Contact	13A
-------------------------------	-----

Material Info

Reference - Drawing Numbers

Test Summary	TS-34900-0002
--------------	---------------



image - Reference only

EU RoHS

ELV and RoHS Compliant
REACH SVHC Contains SVHC: No
Low-Halogen Status Low-Halogen

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[34900Series](#)

Mates With

[348996010 MXP 120™ Male Balde Connector](#)

Use With

Contact Molex