

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0349672006](#)  
**Status:** **Active**  
**Overview:** [Mini50 Connection Systems](#)  
**Description:** Mini50 Sealed Receptacle, Single Row, without CPA, 2 Circuits, Polarization Option B, Light Gray

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Test Summary 349670001-TS-000 (PDF)</a>
<a href="#">Product Specification 349670001-000 (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Application Specification AS-34894-0001-001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Packaging Specification PK-31301-898-001 (PDF)</a>	



**General**

Product Family	Crimp Housings
Series	34967
Application	Automotive, Power, Sealed, Wire-to-Board
Comments	-40°C to +105°C operating temperature for tin terminals  -40°C to +125°C operating temperature for silver terminals
Overview	<a href="#">Mini50 Connection Systems</a>
Polarization	B
Product Name	Mini50 Sealed
UPC	887191620350

**Physical**

Circuits (maximum)	2
Color - Resin	Black, Gray (Light)
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	2.800/g
Number of Rows	1
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface	1.80mm
Pitch - Termination Interface	1.80mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C, -40° to +125°C

**Material Info**

**Reference - Drawing Numbers**

Application Specification	AS-34894-0001-001
Packaging Specification	PK-31301-898-001
Product Specification	349670001-000
Sales Drawing	347350050-000, 349672000-000, 349682800-000
Test Summary	349670001-TS-000

**EU ELV**

**Not Reviewed**

**EU RoHS**

**Not Reviewed**

**REACH SVHC**

Not Reviewed

**Halogen-Free**

**Status**

**Not Reviewed**

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

**Search Parts in this Series**

[34967 Series](#)

**Mates With**

Molex does not manufacture the mating header interface. To provide you with maximum design flexibility, we include the interface specification drawing with the part drawing, and a 3D model is available <a href="https://www.molex.com/pdm\_docs/stp/34967\_2ckt\_PoIB\_MatingInterfaceModel.zip">H a>, so that you may design the interface into your device as you require.

**Use With**

CTX50 Sealed Receptacle Terminal [34905](#)