

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0359659224](#)  
**Status:** **Active**  
**Overview:** [VersaBlade Wire-to-Wire Connector System](#)  
**Description:** [VersaBlade Multi-Module Hybrid Plug Housing, 2 Circuits, Positive Lock, Type C, Blue, Glow-Wire Capable](#)

**Documents:**

|  |  |
|--|--|
| <a href="#">3D Model</a>   | <a href="#">Application Specification 351500000ASKOR-000 (PDF)</a> |
| <a href="#">Drawing (PDF)</a>                                      | <a href="#">Packaging Specification PK-35965-001-001 (PDF)</a>     |
| <a href="#">3D Model (PDF)</a>                                     | <a href="#">Datasheet (PDF)</a>                                    |
| <a href="#">Product Specification 351800400-001 (PDF)</a>          | <a href="#">Brochure (PDF)</a>                                     |
| <a href="#">Product Specification 351800600-001 (PDF)</a>          | <a href="#">RoHS Certificate of Compliance (PDF)</a>               |
| <a href="#">Application Specification 351500000ASENG-000 (PDF)</a> |  |

**Agency Certification**

|     |         |
|-----|---------|
| CSA | LR19980 |
| UL  | E29179  |

**General**

|                |  |
|----------------|--|
| Product Family | Crimp Housings   |
| Series         | <a href="#">35965</a>                                    |
| Application    | Power, Wire-to-Wire                                      |
| Overview       | <a href="#">VersaBlade Wire-to-Wire Connector System</a> |
| Product Name   | VersaBlade   |
| UPC            | 822350860680   |


**Physical**

|                               |                |
|-------------------------------|----------------|
| Circuits (maximum)            | 2              |
| Color - Resin                 | Blue           |
| Flammability                  | 94V-0          |
| Gender                        | Plug           |
| Glow-Wire Capable             | Yes            |
| Keying to Mating Part         | None           |
| Lock to Mating Part           | Yes            |
| Material - Resin              | PET/PC         |
| Net Weight                    | 2.941/g        |
| Number of Rows                | 2              |
| Packaging Type                | Bag            |
| Panel Mount                   | No             |
| Pitch - Mating Interface      | 8.00mm         |
| Pitch - Termination Interface | 8.00mm         |
| Polarized to Mating Part      | Yes            |
| Stackable                     | No             |
| Temperature Range - Operating | -40° to +110°C |

**Material Info**

**Reference - Drawing Numbers**

|                           |  |
|---------------------------|--|
| Application Specification | 351500000AS_ENG-000, 351500000AS_KOR-000 |
| Packaging Specification   | PK-35965-001-001                         |
| Product Specification     | 351800400-001, 351800600-001             |
| Sales Drawing             | 359659220-000                            |



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per -  
D(2020)4578-DC (25  
June 2020)

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[35965 Series](#)

**Mates With**

VersaBlade Multi-Module 2-2-2 Receptacle Housing [351800600](#) , [351800609](#) , [351803609](#) , [351804609](#)

**Use With**

VersaBlade Crimp Terminals [35748](#)  
<br>VersaBlade TPA [359650290](#) , [359650292](#) , [359650293](#) , [1040810282](#) , [495470392](#) (Upper), [495480390](#) (Lower)

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**