

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [39485-0005](#)
Status: **Active**
Description: 4.00mm Pitch Positive Locking Terminal Block PCB Header, Tin Plating, 5 Circuits

Documents:

[3D Model](#) [Product Specification PS-39484-001 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General

| | |
|----------------|-----------------------|
| Product Family | Terminal Blocks |
| Series | 39485 |
| Application | N/A |
| Component Type | PCB Header |
| Product Name | Eurostyle™ Pluggable |
| Type | Euro Block |
| UPC | 883906382759 |

Physical

| | |
|--------------------------------|----------------------|
| Circuits (Loaded) | 5 |
| Circuits (maximum) | 5 |
| Color - Resin | Black |
| Entry Angle | Vertical (Top Entry) |
| Lock to Mating Part | Yes |
| Material - Metal | Copper Alloy |
| Material - Plating Mating | Tin |
| Material - Resin | Nylon |
| Number of Rows | 1 |
| Orientation | Vertical |
| PC Tail Length | 3.20mm |
| PCB Retention | None |
| Panel Mount | No |
| Pitch - Mating Interface | 4.00mm |
| Pitch - Termination Interface | 4.00mm |
| Polarized to Mating Part | Yes |
| Shrouded | No |
| Stackable | No |
| Surface Mount Compatible (SMC) | Yes |
| Temperature Range - Operating | -40°C to +140°C |
| Wire Size AWG | N/A |


Electrical

| | |
|-------------------------------|------|
| Current - Maximum per Contact | 10A |
| Voltage - Maximum | 300V |

Material Info

Reference - Drawing Numbers

| | |
|-----------------------|--------------|
| Product Specification | PS-39484-001 |
| Sales Drawing | SD-39485-001 |



EU RoHS

**ELV and RoHS
Compliant**
**REACH SVHC
Not Reviewed**
**Low-Halogen Status
Not Reviewed**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[39485Series](#)

Mates With

[39484 4.00mm Pitch Tin Plated Plugs](#)