

Lampholder, Wedge base W2 x 4.6 d, without lamp, with holder



<b>Product brand name</b>	SIRIUS
<b>Product designation</b>	lampholder
<b>Product type designation</b>	3SB2
<b>Contact block/ lampholder</b>	
<b>Mounting type</b>	W2 x 4.6d
<b>Number of lampholders</b>	1
<b>General technical data</b>	
<b>Product function</b>	
• EMERGENCY STOP function	No
<b>Product component</b>	
• diode	No
• lamp transformer	No
• Light source	No
• series resistor	No
<b>Suitability for integration</b>	front element
<b>Protection class IP</b>	
• of the enclosure	IP00
• of the terminal	IP00

<b>Vibration resistance</b>	
<ul style="list-style-type: none"> <li>• acc. to IEC 60068-2-6</li> </ul>	20 ... 200 Hz: 5g
<b>Reference code acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750</b>	H
<b>Reference code acc. to DIN EN 81346-2</b>	P
<b>Reference code acc. to DIN EN 61346-2</b>	P
<b>Operating voltage</b>	
<ul style="list-style-type: none"> <li>• at AC <ul style="list-style-type: none"> <li>— at 50 Hz rated value</li> <li>— at 60 Hz rated value</li> </ul> </li> <li>• at DC <ul style="list-style-type: none"> <li>— rated value</li> </ul> </li> </ul>	5 ... 60 V 5 ... 60 V 5 ... 60 V

<b>Auxiliary circuit</b>	
<b>Number of NC contacts for auxiliary contacts</b>	0
<b>Number of NO contacts for auxiliary contacts</b>	0
<b>Number of CO contacts</b>	
<ul style="list-style-type: none"> <li>• for auxiliary contacts</li> </ul>	0
<b>Operating current at DC-13</b>	
<ul style="list-style-type: none"> <li>• at 24 V rated value</li> </ul>	3 A

<b>Connections/ Terminals</b>	
<b>Type of electrical connection</b>	tab terminals

<b>Ambient conditions</b>	
<b>Ambient temperature</b>	
<ul style="list-style-type: none"> <li>• during operation</li> <li>• during storage</li> </ul>	-25 ... +60 °C -40 ... +80 °C

<b>Installation/ mounting/ dimensions</b>	
<b>Mounting type</b>	front panel mounting
<b>Height</b>	19 mm
<b>Width</b>	19 mm
<b>Depth</b>	46 mm

<b>Certificates/ approvals</b>	
--------------------------------	--



CCC



CSA



UL



EG-Konf.

[Miscellaneous](#)**other**[Confirmation](#)**Further information****Information- and Downloadcenter (Catalogs, Brochures,...)**<https://www.siemens.com/ic10>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SB2304-2A>**Cax online generator**<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB2304-2A>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/3SB2304-2A>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SB2304-2A&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB2304-2A&lang=en)

last modified:

05/15/2020