



Part Number : [1300980159](#)

Product Description : MAX-LOC Strain Relief Cord-Sealing Grip, 1" NPT, 90° Angle Male, Cable Diameter 19.05-22.23mm (.750-.875")

Series Number : 130098

Status : Active

Product Category : Cable Grips

Engineering Number : 5557



Product Environment Compliance

Compliance

| | |
|--------------------|--|
| GADSL/IMDS | Not Relevant |
| China RoHS | |
| EU ELV | Not Relevant |
| Low-Halogen Status | Low-Halogen per IEC 61249-2-21 |
| REACH SVHC | Contains 2,4-Di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol per per ED/21/2016 (20 June 2016) |
| EU RoHS | Compliant per EU 2015/863 |

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

| | |
|--------------|--|
| Status | Active |
| Category | Cable Grips |
| Series | 130098 |
| Description | MAX-LOC Strain Relief Cord-Sealing Grip, 1" NPT, 90° Angle Male, Cable Diameter 19.05-22.23mm (.750-.875") |
| NEMA Rating | NEMA 3R |
| Product Name | MAX-LOC |
| Type | Strain Relief Grip |
| UPC | 78678872173 |

Agency

| | |
|-----|---------|
| CSA | LR32159 |
| UL | E76954 |

Physical

| | |
|----------------------------|----------------------------|
| Approximate Break Strength | N/A |
| Bale Length | N/A |
| Body Style | 90° Angle |
| Cable Diameter | 19.05-22.23mm (.750-.875") |
| Color - Grommet | N/A |
| Eye Type | N/A |
| Gender | Male |
| Material - Body | Nylon |
| Material - Grip | N/A |
| Mesh Length | N/A |
| Net Weight | 145.000/g |
| Number of Holes | 1 |
| O-Ring | No |
| Thread Size | 1" NPT |

Use with Part(s)

| | |
|-------------------------|-------------------|
| Description | Part Number |
| MAX-LOC Lock Nut 1" NPT | <u>1300990145</u> |

| | |
|---|-------------------|
| MAX-LOC Gasket Sealing Ring, 1" NPT, Black | <u>1300990151</u> |
| MAX-LOC O-Ring, 1" NPT | <u>1301800334</u> |

This document was generated on Feb 13, 2025