


4 - 1734279 - 3 Product Details

Live Product Chat US Only
8:30am - 5pm ET, Mon - Fri



4 - 1734279 - 3

Active

Stacked Connectors

[Always EU RoHS/ELV Compliant](#) ([Statement of Compliance](#))

Product Highlights:

- ? Connector Configuration [Upper Conn./Lower Conn.] = Same Series
- ? Plug over Plug
- ? Mating Connector Lock Type = Threaded Insert, 4 -40 UNC
- ? Without Mating Polarization
- ? Yes PCB Retention Feature

[View all Features](#) | [Find Similar Products](#)

Quick Links

- [Check Pricing & Availability](#)
- [Search for Tooling](#)
- [Product Feature Selector](#)
- [Contact Us About This Product](#)

Documentation & Additional Information

Product Drawings:

- ? [D-Sub STACK Plug over Plug, R/A](#) (PDF, English)

Catalog Pages/Data Sheets:

- ? None Available

Product Specifications:

- ? None Available

Application Specifications:

- ? None Available

Instruction Sheets:

- ? None Available

CAD Files:

- ? None Available

Additional Information:

- ? [Product Line Information](#)

Related Products:

- ? [Tooling](#)

[List all Documents](#)

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- ? [Gender](#) = Plug over Plug
- ? Mating Connector Lock Type = Threaded Insert, 4-40 UNC
- ? Mating Polarization = Without
- ? [PCB Retention Feature](#) = Yes
- ? [Stacked Number of Positions \[Upper Conn./Lower Conn.\]](#) = 9/9
- ? Shell Type = Front Metal Shell
- ? Product Series = Series III
- ? Color Code = None
- ? Pin/Socket = Pin (Upper)/Pin (Lower)
- ? PCB Mount Angle = Right Angle
- ? Shell Material = Steel

Mechanical Attachment:

- ? Boardlock Material = Copper Alloy
- ? Boardlock Plating = Tin

Termination Related Features:

- ? Termination (Solder) Post Length (mm [in]) = 3.18 [0.125]
- ? Solder Tail Contact Plating = Tin over Nickel

Body Related Features:

- ? [Connector Configuration \[Upper Conn./Lower Conn.\]](#) = Same Series
- ? [Centerline, Matrix \(mm \[in\]\)](#) = 2.77 x 2.84 [.109 x .112]
- ? PCB Retention Method = Boardlock(s)

Contact Related Features:

- ? [Contact Mating Area Plating](#) = Gold (30)
- ? Contact Material = Copper Alloy

Housing Related Features:

- ? Housing Color = Black
- ? Housing Material = Thermoplastic
- ? Housing Flammability Rating = UL 94V -0

Industry Standards:

- ? [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- ? [Lead Free Solder Processes](#) = Wave solder capable to 240°C, Wave solder capable to 260°C, Wave solder capable to 265°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

Other:

- ? Brand = AMP