

234A032-100-0 ✓ ACTIVE

RAYCHEM

TE Internal #: 418825-000

Heat Shrink Boots, Right Angle, 100, 100, Adhesive Purchased


Separately Adhesive Requirement, -30 - 105 °C [-22 - 221 °F], S1048

/ S1030 / S1125

[View on TE.com >](#)



Wire Protection & Management > Heat Shrink Shapes > Heat Shrink Boots



Body Orientation: **Right Angle**

Material Code: **100**

Material Systems Code: **100**

Adhesive Requirement: **Adhesive Purchased Separately**

Operating Temperature Range: **-30 - 105 °C [-22 - 221 °F]**

Features

Configuration Features

| | |
|----------------------|-------------------------------|
| Adhesive Requirement | Adhesive Purchased Separately |
|----------------------|-------------------------------|

Body Features

| | |
|--------------------------|----------------------------------|
| Primary Product Material | Semi-flexible ZEROHAL Polyolefin |
| Material Code | 100 |
| Material Systems Code | 100 |

Housing Features

| | |
|------------------|-------------|
| Body Orientation | Right Angle |
|------------------|-------------|

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -30 - 105 °C[-22 - 221 °F] |
|-----------------------------|----------------------------|

Other

| | |
|---------------|----------------------------|
| Adhesive Code | S1006, S1030, S1048, S1125 |
|---------------|----------------------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | |

Current ECHA Candidate List: JAN 2024
(240)

Candidate List Declared Against: JUNE
2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per
homogenous material. Also BFR/CFR/PVC
Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought



Documents

Product Drawings

[234A032-100-0](#)

English

Datasheets & Catalog Pages

[1654025_Sec4_-100](#)

English

Raychem Molded Parts Visual Guide

English

Product Specifications

[Product Specification](#)

English

234A032-100-0

Heat Shrink Boots, Right Angle, 100, 100, Adhesive Purchased Separately Adhesive Requirement, -30 - 105 °C [-22 - 221 °F], S1048 / S1030 / S1125

