

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0428205232](#)  
**Status:** **Active**  
**Overview:** [Mini-Fit Sr. Power Connectors](#)  
**Description:** 10.00mm Pitch Mini-Fit Sr. Header, Single Row, Right-Angle, 3.18mm PCB Thickness, Tin (Sn) Plating, 5 Circuits, USE NYE LUBE ON MATING SURFACES  
**Replacement Part Number :** <http://www.molex.com/molex/search/partSearch?pQuery=&sType=p&query=0428205233428205233> (Gold)

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Packaging Specification PK-42820-910-001 (PDF)</a>
<a href="#">Product Specification PS-42815-001-001 (PDF)</a>	<a href="#">Test Summary TS-42815-001 (PDF)</a>
<a href="#">Product Specification TS-42815-001-001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Application Specification AS-42815-001 (PDF)</a>	

**Agency Certification**


UL E29179

**General**

Product Family	PCB Headers
Series	<a href="#">42820</a>
Application	Power, Wire-to-Board
Comments	WHEN USING OVERALL TIN PLATED TERMINALS: FOR APPLICATIONS INVOLVING VIBRATION AND/OR THERMAL CYCLING, MOLEX STRONGLY RECOMMENDS THE USE OF NYE LUBRICANT (NYOGEL 7600) ON THE MATING SURFACES OF THE TERMINAL. .
Overview	<a href="#">Mini-Fit Sr. Power Connectors</a>
Product Name	Mini-Fit Sr.
Replacement Part Number	<a href="#">428205233</a> (Gold)
Replacement Part Number	<a href="#">428205234</a> (Silver)
UPC	800754383097

**Physical**

Breakaway	No
Circuits (Loaded)	5
Circuits (maximum)	5
Color - Resin	Black
Durability (mating cycles max)	30
First Mate / Last Break	No
Flammability	94V-0
Glow-Wire Capable	No
Guide to Mating Part	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Metal	Brass
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Net Weight	16.278/g
Number of Rows	1
Orientation	Right Angle
PC Tail Length	5.10mm
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness - Recommended	3.18mm
Packaging Type	Tube



Series image - Reference only

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Contained Per -  
D(2020)4578-DC (25  
June 2020)  
henicosafuoroundecanoic  
acid  
disodium 4-  
amino-3-[[4'-[(2,4-  
diaminophenyl)azo]  
chromium trioxide  
1,3-propanesultone  
1-vinylimidazole  
4,4'-methylenedi-o-  
toluidine  
dibutyltin dichloride  
methoxyacetic acid  
diisopentylphthalate  
disodium 3,3'-[[1,1'-  
biphenyl]-4,4'-  
diylbis(azo)  
octamethylcyclotetrasiloxane  
benzene-1,2,4-  
tricarboxylic acid 1,2-  
anhydride  
decamethylcyclopentasiloxane  
dodecamethylcyclohexasiloxane  
heptacosafuorotetradecanoic  
acid  
tricosafuorododecanoic  
acid  
di-n-pentyl phthalate  
(DPP)  
6-methoxy-m-toluidine  
furan  
1-bromopropane  
nitrobenzene  
4-o-tolylazo-o-  
toluidine  
ethylene thiourea

**China RoHS**

Pitch - Mating Interface	10.00mm
Pitch - Termination Interface	10.00mm
Plating min - Mating	2.540µm
Plating min - Termination	2.540µm
Polarized to Mating Part	Yes
Polarized to PCB	Yes
Shrouded	Fully
Stackable	No
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40° to +105°C
Termination Interface: Style	Through Hole

#### Electrical

Current - Maximum per Contact	50.0A
Voltage - Maximum	600V

#### Solder Process Data

Duration at Max. Process Temperature (seconds)	030
Lead-free Process Capability	SMC&WAVE
Max. Cycles at Max. Process Temperature	003
Process Temperature max. C	235

#### Material Info

#### Reference - Drawing Numbers

Application Specification	AS-42815-001
Packaging Specification	PK-42820-910-001
Product Specification	PS-42815-001-001, TS-42815-001-001
Sales Drawing	SDA-42820-0002-001
Test Summary	TS-42815-001

4-methyl-m-phenylenediamine  
o-toluidine  
butyl 4-hydroxybenzoate  
dinoseb (ISO)  
dihexyl phthalate (DnHP)  
dicyclohexyl phthalate  
N-methylacetamide  
dimethyl sulphate  
diethyl sulphate  
4-aminoazobenzene  
Fatty acids, C16-18,  
lead salts  
[phthalato(2-)]dioxotrilead  
Silicic acid (H<sub>2</sub>Si<sub>2</sub>O<sub>5</sub>),  
barium salt (1:1),  
lead-  
Perfluorohexane-1-sulphonic acid and its salts  
5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5  
1,2-benzenedicarboxylic acid, di-C<sub>6</sub>-10-alkyl est  
Cadmium sulphate  
Sodium perborate;  
perboric acid, sodium salt  
hexahydro-2-benzofuran-1,3-dione  
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated  
Perfluorononan-1-oic acid  
(2,2,3,3,4,4,5,5,6,6,7  
Reaction  
products of 1,3,4-thiadiazolidine-2,5-d  
Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o  
Chrysene  
Cadmium nitrate  
Pyrene  
Tris(4-nonylphenyl, branched and linear)  
phosphi  
2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propio  
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated  
Trixylyl phosphate  
Zirconia  
Aluminosilicate  
Refractory Ceramic  
Fibr  
Aluminosilicate  
Refractory Ceramic  
Fibres  
Boric acid

Disodium tetraborate  
Hydrazine  
1,3-BENZENEDIOL,  
TRINITRO-, LEAD  
SALT  
n-pentyl-  
isopentylphthalate  
3-ethyl-2-methyl-2-  
(3-methylbutyl)-1,3-  
oxazolidi  
1,2-  
benzenedicarboxylic  
acid, dipentylester,  
bra  
pentacosafuorotridecanoic  
acid  
1,2-  
Benzenedicarboxylic  
acid, dihexyl ester,  
bra  
Terphenyl,  
hydrogenated  
2-(2H-benzotriazol-2-  
yl)-4-(tert-butyl)-6-  
(sec-b  
2-(2H-benzotriazol-2-  
yl)-4,6-  
ditertpentylphenol  
dibutylbis(pentane-2,4-  
dionato-O,O')tin  
2-ethylhexyl 10-  
ethyl-4,4-dioctyl-7-  
oxo-8-oxa-3,  
disodium octaborate  
sodium  
peroxometaborate  
ammoniumpentadecafluorooctanoate  
pentazinc chromate  
octahydroxide  
1,2-dichloroethane  
trilead diarsenate  
2-methoxyaniline  
arsenic acid  
N,N-  
dimethylacetamide  
lead dipicrate  
potassium  
hydroxyoctaoxidizincatedichromate(1-)  
bis(2-methoxyethyl)  
ether  
calcium arsenate  
1,2-  
benzenedicarboxylic  
acid; di-C6-8-  
branched a  
N-methyl-2-  
pyrrolidone  
1,2-  
benzenedicarboxylic  
acid; di-C7-11-  
branched  
2-ethoxyethyl acetate  
cobalt sulphate  
cobalt di(acetate)  
cobalt carbonate

tetraboron disodium  
heptaoxide, hydrate  
sodium chromate  
potassium dichromate  
potassium chromate  
ammonium  
dichromate  
tris(2-chloroethyl)  
phosphate  
Lead sulfochromate  
yellow  
Lead chromate  
molybdate sulfate red  
lead chromate  
Anthracene oil,  
anthracene-low;  
Anthracene Oil F  
Anthracene oil,  
anthracene paste,  
distn. lights;  
Anthracene oil,  
anthracene paste,  
anthracene fra  
Anthracene oil,  
anthracene paste;  
Anthracene Oil  
Butylbenzylphthalate  
(BBP)  
lead hydrogen  
arsenate  
bis(2-ethylhexyl)  
phthalate (DEHP)  
dibutyl phthalate  
(DBP)  
4,4'-  
diaminodiphenylmethane  
triethyl arsenate  
Sulfurous acid, lead  
salt, dibasic  
Acetic acid, lead salt,  
basic  
cadmium hydroxide  
Lead titanium  
zirconium oxide  
dioxobis(stearato)trilead  
tetralead trioxide  
sulphate  
trilead dioxide  
phosphonate  
pentalead tetraoxide  
sulphate  
lead oxide sulfate  
Silicic acid, lead salt  
cadmium chloride  
lead dinitrate  
pyrochlore, antimony  
lead yellow  
cadmium fluoride  
cadmium  
lead  
 $\alpha,\alpha'$ Bis[4-  
(dimethylamino)phenyl]-4  
(phenylamino)

[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(Lead oxide  
trilead bis(carbonate) dihydroxide  
orange lead  
cadmium sulphide  
cadmium oxide (non-pyrophoric)  
diboron trioxide  
bis(pentabromophenyl) ether  
4,4'-bis(dimethylamino)-4''-(methylamino)trityl  
[4-[4,4'-bis(dimethylamino)benzhydrylidene]cyclcadmium carbonate  
1,2-dimethoxyethane  
4,4'-bis(dimethylamino)benzophenone  
dichromium  
tris(chromate)  
phenolphthalein  
lead diazide  
bis(2-methoxyethyl)  
phthalate  
Formaldehyde,  
polymer with  
benzenamine

**Halogen-Free**

**Status**

**Not Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS	Green Image
ELV	Not Relevant
RoHS Phthalates	Not Contained

**Search Parts in this Series**

[42820 Series](#)

**Mates With**

Mini-Fit Sr. Receptacle Housing with TPA  
[42816](#)

This document was generated on 10/14/2020

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**