

## Assembly adapters - APK-HP 2 METER - 5022818

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Holding profile, snaps into the cover holder APK-TU, with groove for Zack strip ZB 5 to ZB 10, length: 2 m

### Product Features

- Can be labeled
- Protection against environmental influences
- Protection against accidental actuation of terminal points or disconnect terminal blocks
- Covering of live parts



### Key Commercial Data

Packing unit	1 M
Minimum order quantity	2 M
GTIN	 4 017918 095314
Weight per Piece (excluding packing)	235.0 g
Custom tariff number	39162000
Country of origin	Germany

### Technical data

#### Dimensions

Length (b)	2000 mm
------------	---------

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 115 °C
---------------------------------	-------------------

#### General

Color	gray
Components	free from silicone and halogen

## Assembly adapters - APK-HP 2 METER - 5022818

### Technical data

#### General

Flammability rating according to UL 94	V2
Material	PA

#### Standards and Regulations

Flammability rating according to UL 94	V2
--	----

### Classifications

#### eCl@ss

eCl@ss 4.0	23150301
eCl@ss 4.1	23150301
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27379200
eCl@ss 7.0	27141143
eCl@ss 8.0	27141133
eCl@ss 9.0	27141133

#### ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC002498
ETIM 5.0	EC002848

#### UNSPSC

UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708
UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708

### Drawings

# Assembly adapters - APK-HP 2 METER - 5022818

