

Insertion bridge - EB 10- 6/SO (1/4/7/10)




5030907

<https://www.phoenixcontact.com/de/produkte/5030907>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Insertion bridge, pitch: 6 mm, pin assignment: 1,4,7,10, color: gray



Commercial Data

Item number	5030907
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	A1 - Reihenklemmen
Product Key	BE1Z2X
GTIN	4017918287481
Weight per Piece (including packing)	4,03 g
Weight per Piece (excluding packing)	3,943 g
Customs tariff number	85366990
Country of origin	PL

Insertion bridge - EB 10- 6/SO (1/4/7/10)



5030907

<https://www.phoenixcontact.com/de/produkte/5030907>

Technical Data

Product properties

Product type	Insertion bridge
Number of positions	10
Pitch	6 mm

Dimensions

Pitch	6 mm
-------	------

Material specifications

Color	gray
Material	CuZn (nickel-plated)
Flammability rating according to UL 94	V2
Insulating material	PA

Mechanical properties

Technical data

Pin assignment	1, 4, 7, 10
----------------	-------------

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

Mounting

Mounting type	Screw mounting
---------------	----------------

Insertion bridge - EB 10- 6/SO (1/4/7/10)



5030907

<https://www.phoenixcontact.com/de/produkte/5030907>

Classifications

ECLASS

ECLASS-9.0	27141140
ECLASS-10.0.1	27141140
ECLASS-11.0	27141140

ETIM

ETIM 8.0	EC000489
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Insertion bridge - EB 10- 6/SO (1/4/7/10)



5030907

<https://www.phoenixcontact.com/de/produkte/5030907>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT Deutschland GmbH
Flachmarktstraße 8
D-32825 Blomberg
+49 52 35/3-1 20 00
info@phoenixcontact.de