

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [5046183012](#)  
**Status:** **Active**  
**Overview:** [SlimStack Board-to-Board Connectors](#)  
**Description:** SlimStack Board-to-Board Receptacle, 0.35mm Pitch, SSB6 Standard Series, 0.60mm Mated Height, 2.00mm Mated Width, 30 Circuits

**Documents:**

<a href="#">3D Model</a>	<a href="#">Packaging Specification 5046189200-202 (PDF)</a>
<a href="#">3D Model (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Drawing (PDF)</a>	<a href="#">Product Guide (PDF)</a>
<a href="#">Product Specification 5046180000-000 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>
<a href="#">Product Specification PS-504622-001 (PDF)</a>	<a href="#">Reference Guide (PDF)</a>
<a href="#">Application Specification 5046180000-A00 (PDF)</a>	

**General**

Product Family	PCB Receptacles
Series	<a href="#">504618</a>
Application	Board-to-Board
Overview	<a href="#">SlimStack Board-to-Board Connectors</a>
Product Name	SlimStack
Series Name	SSB6
UPC	191128130349

**Physical**

Circuits (Loaded)	30
Circuits (maximum)	30
Color - Resin	Black
Durability (mating cycles max)	30
Glow-Wire Capable	No
Mated Height	0.60mm
Mated Width	2.00mm
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Material - Resin	Liquid Crystal Polymer
Net Weight	13.540/mg
Number of Rows	2
Orientation	Vertical
PCB Locator	No
PCB Retention	Yes
Packaging Type	Embossed Tape on Reel
Pitch - Mating Interface	0.35mm
Pitch - Termination Interface	0.35mm
Plating min - Mating	0.100µm
Plating min - Termination	0.050µm
Polarized to Mating Part	No
Polarized to PCB	No
Temperature Range - Operating	-40° to +85°C
Termination Interface: Style	Surface Mount


**Electrical**

Current - Maximum per Contact	0.3A
Voltage - Maximum	50V

**Material Info**

**Reference - Drawing Numbers**

Application Specification	5046180000-A00
---------------------------	----------------



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Contained Per -  
D(2020)4578-DC (25  
June 2020)  
dihexyl phthalate  
(DnHP)  
ethylene thiourea  
di-n-pentyl phthalate  
(DPP)  
perfluorooctanoic acid  
decamethylcyclotrasiloxane  
octamethylcyclotetrasiloxane  
1,2-diethoxyethane  
dibutyltin dichloride  
1,3-propanesultone  
disodium 4-  
amino-3-[[4'-[(2,4-  
diaminophenyl)azo]  
ammoniumpentadecafluorooctanoate  
2-benzotriazol-2-  
yl-4,6-di-tert-  
butylphenol  
2,4-di-tert-butyl-6-(5-  
chlorobenzotriazol-2-  
yl)p  
disodium octaborate  
2-(2H-benzotriazol-2-  
yl)-4,6-  
ditertpentylphenol  
Terphenyl,  
hydrogenated  
diisohexyl phthalate  
Hexabromocyclododecane  
(HBCDD)  
Aluminosilicate  
Refractory Ceramic  
Fibres  
Zirconia  
Aluminosilicate

**China RoHS**

Packaging Specification  
Product Specification  
Sales Drawing

5046189200-202  
5046180000-000, PS-504622-001  
5046180000-004, 5046181000-003

Refractory Ceramic  
Fibr  
Nonadecafluorodecanoic  
acid (PFDA) and its  
sodiu  
Tris(4-nonylphenyl,  
branched and linear)  
phosphi  
Fluoranthene  
Pyrene  
Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o  
Perfluorononan-1-  
oic acid  
(2,2,3,3,4,4,5,5,6,6,7  
reaction mass of  
2-ethylhexyl 10-  
ethyl-4,4-dioct  
Perfluorohexane-1-  
sulphonic acid and its  
salts  
cobalt dichloride  
diarsenic pentaoxide  
diarsenic trioxide  
bis(tributyltin) oxide  
lead chromate  
Lead chromate  
molybdate sulfate red  
Lead sulfochromate  
yellow  
tris(2-chloroethyl)  
phosphate  
tetraboron disodium  
heptaoxide, hydrate  
strontium chromate  
1,2-  
benzenedicarboxylic  
acid; di-C7-11-  
branched  
bis(2-methoxyethyl)  
ether  
bis(2-methoxyethyl)  
phthalate  
diboron trioxide  
cadmium oxide (non-  
pyrophoric)  
cadmium sulphide  
orange lead  
cadmium  
lead dinitrate  
lead titanium trioxide  
Lead titanium  
zirconium oxide  
lead cyanamidate  
cadmium hydroxide  
Sulfurous acid, lead  
salt, dibasic  
Silicic acid (H<sub>2</sub>Si<sub>2</sub>O<sub>5</sub>),  
barium salt (1:1),  
lead-  
Fatty acids, C16-18,  
lead salts  
4-aminoazobenzene  
N,N-  
dimethylformamide

**Halogen-Free  
Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

Green Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

**Search Parts in this Series**

[504618](#) Series

**Mates With**

SlimStack SSB6 Plug [504622](#)

This document was generated on 10/23/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**