

50863-4 ✓ ACTIVE


TE Internal #: 50863-4

Pin Sockets, Socket Length .26 in [6.6 mm], Hole Size (Recommended) 1.32 mm [.052 in], None, Closed Bottom, 28 – 22AWG Wire Size

[View on TE.com >](#)



Connectors > Socket Connectors > Pin Sockets



Socket Length: 6.6 mm [.26 in]

Hole Size (Recommended): 1.32 mm [.052 in]

Solder Process Feature: **None**

Socket Sleeve Style: **Closed Bottom**

Wire Size: **28 – 22 AWG**

Features

Product Type Features

Socket Sleeve Style	Closed Bottom
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Wire/Cable Type	Discrete Wire
Profile	Zero
Product Type	Contact

Body Features

Sleeve Material	Copper
Sleeve Plating Material	Gold Flash over Nickel

Contact Features

Contact Spring Plating Material	Gold
Contact Spring Plating Thickness	.762 μm[30 μin]
Contact Base Material	Beryllium Copper



Contact Current Rating (Max)	5 A
Socket Type	Discrete
Contact Transmits (Typical)	Signal (Data)/Power
Contact Mating Area Plating Thickness	30 μ m[30 μ in]
Contact Type	Socket

Termination Features

Insertion Method	Hand/Semi-Automatic
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Termination Method to Wire & Cable	Solder

Dimensions

Socket Length	6.6 mm[.26 in]
Hole Size (Recommended)	1.32 mm[.052 in]
Wire Size	.081 – .326 mm ²
Mating Pin Diameter Range	.36 – .66 mm[.014 – .026 in]
PCB Thickness (Recommended)	.79 – 3.18 mm[.031 – .125 in]

Usage Conditions

Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]
-----------------------------	----------------------------

Operation/Application

Solder Process Feature	None
Circuit Application	Power & Signal

Packaging Features

Packaging Quantity	2000
Packaging Method	Bag, Loose Piece

Other

Spring Material	Beryllium Copper
-----------------	------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUN 2020 (209)
 Candidate List Declared Against: JUN 2020 (209)
 Does not contain REACH SVHC

Halogen Content
 Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability
 Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Model / Part # 5050863-5
 SOCKET,MIN-SPR SN-AU SER-2

Customers Also Bought



TE Model / Part #5747238-6
 25 MSFL PLUG RA 318 (SL,FM)



TE Model / Part #5100669-1
 Z-PACK M.CONN.175P.



TE Model / Part #6-2176094-0
 RP 2A 0.25W 499K 0.1% 25PPM 1K RL



TE Model / Part #3-644695-4
 04P MTA100 STR HDR RETENTIVE



TE Model / Part #50935
SOCKET,MIN-SPR AU-AU SER-1



TE Model / Part #5050863-5
SOCKET,MIN-SPR SN-AU SER-2



TE Model / Part #147444-1
SOCKET,MIN-SPR AU-AU SER-1



TE Model / Part #2-2176091-2
RP 2A 0.25W 95R3 0.1% 25PPM 1K RL



TE Model / Part #9-1879743-5
RP 1J 45R3 0.1% 15PPM CUT LENGTH



TE Model / Part #1059919-1
4763 0000 00

Documents

Product Drawings

SOCKET,MIN-SPR AU-AU SER-2

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_50863-4_N.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_50863-4_N.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_50863-4_N.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Environmental Compliance

Product Compliance

English

Product Compliance

English