



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER				SIG			POWER				E1		
		E2	P8	P7	P6	P5	3	2	1	P4	P3	P2		P1	
51915-072-- NOTE: 3	D C B A		PA	PA	PA	PA	H H H H	G G G G	F F F F	E E E E	PA	PA	PA	PA	
															



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	[1.07]	POWER
H	[N/A]	SIGNAL
G	[N/A]	SIGNAL
F	[N/A]	SIGNAL
E	[N/A]	SIGNAL
HA	[N/A]	HOLD-DOWN

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date					COPY			www.fciconnect.com
A	DG05-0108	GUQJM	5/11/05	linear		0.X ± 0.5		projection		title	4P + 12S + 4P
B	DG07-0498	JW	09/15/08			0.XX ± 0.25				R/A SOLDER RECEPTACLE	
				angles		0.XXX ± 0.10				product family	PwrBlade
				dr	SLUO	5/11/05		scale		size	213
				enrg	SLUO	5/11/05				dwg no	sheet
				chr	VICTOR LIN	5/11/05				51915-072	1 of 4
				appd	JOSEPH HSIA	5/11/05					
sheet index	revision sheet	B	B	B	B						
		1	2	3	4						


cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER
51915-072--
NOTE: 3



BROKEN-OUT SECTION A-A
SCALE 2:1



BROKEN-OUT SECTION B-B
SCALE 2:1



SECTION C-C


mat'l code SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER		 www.fciconnect.com						
litr	ecn no.	dr	date	linear	0.X ± 0.5				COPY		title 4P + 12S + 4P R/A SOLDER RECEPTACLE					
B					0.XX ± 0.25				projection							
					0.XXX ± 0.10											
				angles	0° ± 2°				 MM scale 1:1		product family		PwrBlade		code	
				dr	SLUO 5/11/05						size		dwg no		213	
				enrg	SLUO 5/11/05						A		51915-072		sheet	
				chr	VICTOR LIN 5/11/05											
				appd	JOSEPH HSIA 5/11/05											
sheet index		revision sheet														

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51915-072--
NOTE: 3



mat'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER								www.fciconnect.com									
litr		ecn no.		dr		date		linear		0.X ±0.5				COPY															
B										0.XX ±0.25				projection								title							
										0.XXX ±0.10				4P +12S + 4P															
								angles		0° ±2°								R/A SOLDER RECEPTACLE											
										dr SLUO 5/11/05								product family				PwrBlade							
										enrg SLUO 5/11/05								size				dwg no				213			
										chr VICTOR LIN 5/11/05				scale				A				51915-072				sheet			
										appd JOSEPH HSIA 5/11/05				1:1												3			
sheet index		revision sheet																											

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER	
51915-072-- NOTE: 3	
NOTES:	
1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.	
CONNECTOR NOTES:	
(2.) HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY	
(3.) PLATING: SEE ITEM 5 & 6 IN PRINT 10064183 FOR PLATING SPEC OF 51915-072; 51915-072LF PRESPECTIVELY	
(4.) MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.	
5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067.	
6. PACKAGED IN TRAYS.	
PCB NOTES:	
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.	
(8.) MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.	
(9.) $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE $\varnothing 1.02 \pm .07$ HOLE.	
(10.) "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.	
(11.) CONNECTOR KEEP-OUT ZONE.	
12. A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.	

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com		
ltr	ecn no.	dr	date	linear	$0.X \pm 0.5$		COPY			title		
B					$0.XX \pm 0.25$		projection			4P +12S + 4P R/A SOLDER RECEPTACLE		
					$0.XXX \pm 0.10$							
				angles	$0^\circ \pm 2^\circ$				product family		PwrBlade	code
				dr	SLUO	5/11/05	scale		size	dwg no	213	
				enrg	SLUO	5/11/05	1:1		A	51915-072	sheet	
				chr	VICTOR LIN	5/11/05					4	
				appd	JOSEPH HSIA	5/11/05						
sheet index		revision sheet										

cage code		22526		4	
-----------	--	-------	--	---	--