

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0522660417](#)
Status: **Active**
Overview: [Mizu Sealed Connectors](#)
Description: Mizu-P25 2.50mm Pitch Waterproof Wire-to-Wire Plug Housing, 4 Circuits, Brown
Replacement Part Number : <http://www.molex.com/molex/search/partSearch?pQuery=&sType=p&query=0522660411522660411>

Documents:

3D Model	Application Specification 522130000-AS-000 (PDF)
3D Model (PDF)	Application Specification AS-52213-001-001 (PDF)
Drawing (PDF)	Application Specification AS-52213-001-JP-001 (PDF)
Product Specification 522130000-PS-000 (PDF)	Packaging Specification PK-52266-001-001 (PDF)
Product Specification PS-52213-003-001 (PDF)	RoHS Certificate of Compliance (PDF)

Agency Certification

UL E29179

Application tooling part link

Application Tooling Part Link 57147-6000
 Application Tooling Part Link 57170-6000
 Application Tooling Part Link 62202-4400

General

Product Family Crimp Housings
 Series [52266](#)
 Application Signal, Wire-to-Wire
 Comments See Product Specification for maximum current rating by wire AWG
 Overview [Mizu Sealed Connectors](#)
 Product Name Mizu-P25 Waterproof, Splash Proof
 Replacement Part Number [522660411](#)
 UPC 800754378833

Physical

Circuits (maximum) 4
 Color - Resin Brown
 Flammability 94V-0
 Gender Plug
 Glow-Wire Capable No
 Lock to Mating Part Yes
 Material - Resin Polyester
 Net Weight 1251.600/mg
 Number of Rows 1
 Packaging Type Tray
 Panel Mount No
 Pitch - Mating Interface 2.50mm
 Stackable No
 Temperature Range - Operating -40° to +105°C

Electrical

Current - Maximum per Contact 4.0A

Solder Process Data

Lead-freeProcess Capability N/A

Material Info

Reference - Drawing Numbers



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
 D(2021)4569-DC (8
 July 2021)

Halogen-Free

Status

Not Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Compliant

Not Contained

Search Parts in this Series

[52266](#) Series

Mates With

[52213](#) Mizu-P25 Waterproof Receptacle Housing

Use With

[50147](#) Mizu-P25 Crimp Terminal

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
--------------------	------------------

Sealing Cap Hand Tool	622024400
-----------------------	---------------------------

Japan

Description	Product #
--------------------	------------------

Sealing Cap Attachment Tool	571476000
-----------------------------	---------------------------

Application Specification

Packaging Specification

Product Specification

Sales Drawing

522130000-AS-000, AS-52213-001-001,
AS-52213-001-JP-001

PK-52266-001-001

522130000-PS-000, PS-52213-003-001

SD-52266-002-001

Sealing Cap

571706000

Attachment Tool

This document was generated on 11/17/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[52266-0417](#)