


55507105	DATA SHEET	
Valid from: 09.07.2018	SILVYN® KSE-M	

SILVYN® KSE is a conduit gland with 3-fold use. The cable gland with the safe EMC screen connection for all copper-screened cables is adapted to SILVYN® FPAS conduits. Developed for applications, where cables and conduits have to be tight and strain relieved both at the same time. With the contact spring of the SKINTOP® MS-SC-M, the SILVYN® KSE-M has a save low resistance connection to the cable screen. The fast mounting takes place through a one-piece push-in lock. It's easy to dismantle by rotating the locking sleeve.



Material: Nickel plated brass
PA 66

Feature: Fast assembling
Anti-vibration
Cable relief
Cable sealing
EMV connection

Temperature range: -30°C up to +100°C

Color: Black (UV-Resistant)

Norm Reference:




Note: Free of halogen, sulphur and phosphorous

Protection class: Cable gland – IP 68 (10bar) und IP 69
Conduit gland – IP 66

Creator: M. Wegerer /PDP Released: DAMU1/PDP	Document: DB55507105EN Version: 03	Page 1 of 2
---	---------------------------------------	-------------

55507105	DATA SHEET	
Valid from: 09.07.2018	SILVYN® KSE-M	



Dimension table:

Part No.	Part name	Nominal size	Clamping range mm	Ø A mm	B mm	C mm	D mm	E mm	F mm	G mm
5550 7105	SILVYN KSE-M 16x1,5/1 BK	13	4,5 - 10	24	60	12	10	M16x1,5	20	20
5550 7115	SILVYN KSE-M 16x1,5/2 BK	16	4,5 - 10	29	64	12	10	M16x1,5	20	20
5550 7125	SILVYN KSE-M 20x1,5/1 BK	16	7 - 13	29	70	12	13	M20x1,5	24	24
5550 7135	SILVYN KSE-M 20x1,5/2 BK	21	7 - 13	32	70	12	13	M20x1,5	24	24
5550 7145	SILVYN KSE-M 25x1,5 BK	28	9 - 17	44	78	12	17	M25x1,5	29	29
5550 7155	SILVYN KSE-M 32x1,5 BK	34	11 - 21	51	87	15	21	M32x1,5	36	36
5550 7165	SILVYN KSE-M 40x1,5 BK	42	19 - 28	63	102	15	28	M40x1,5	45	45
5550 7175	SILVYN KSE-M 50x1,5 BK	54	27 - 35	76	110	15	35	M50x1,5	54	54

Suitable conduits: SILVYN FPAS

For more information please see our current catalogue. Please do not hesitate to contact our laboratory if there are any questions regarding resistance against aggressive agents and special oil.

Creator: M. Wegerer /PDP Released: DAMU1/PDP	Document: DB55507105EN Version: 03	Page 2 of 2
---	---------------------------------------	-------------