



### 555764-1 Product Details

Share | Print | Email



555764-1

TE Internal Number: 555764-1



Search for Replacement Parts

View 3D PDF

#### PCB Mounted Jacks - Single Port, Multi-port and Stacked

5 of 6 EU RoHS/ELV Compliant (Find RoHS Compliant Alternates/Statement of Compliance)

##### Product Highlights:

- Connector
- Preloaded
- Single Port Configuration
- 1 x 1 Jack Configuration
- Jack Type = RJ45

View all Features

##### Quick Links

- ▶ Pricing & Availability
- ▶ Search for Tooling
- ▶ Product Feature Selector
- ▶ Contact Us About This Product

Add to My Part List | Request Sample | Find Similar Products | Buy Product

#### Documentation & Additional Information

##### Product Drawings:

- None Available

##### Catalog Pages/Data Sheets:

- None Available

##### Product Specifications:

- Modular Plugs, Thru-Hole and Surface Mount Jacks, Da... (PDF, English)

##### Application Specifications:

- Modular Jacks (PDF, English)
- Modular Jack Surface Mount Printed Circuit (PC) Boar... (PDF, English)

##### Instruction Sheets:

- None Available

##### CAD Files: (CAD Format & Compression Information)

- 2D Drawing (DXF, Version P)
- 3D Model (IGES, Version P)
- 3D Model (STEP, Version P)

##### Additional Information:

- Product Line Information

##### Related Products:

- Tooling

List all Documents

#### Product Features (Please use the Product Drawing for all design activity)

##### Product Type Features:

- Product Type = Connector
- Jack Type = RJ45
- PCB Mounting Orientation = Side Entry (Right Angle)
- PCB Mount Style = Surface Mount
- Termination Method to PC Board = Solder
- Performance Category = Cat 3
- LED = Without
- Grounding Options = Without
- Panel Stops = Without
- Keyed = No
- Profile = Low
- Color = Black
- Latch Style = Standard

##### Mechanical Attachment:

- Panel Mount Retention = With
- Flanged = No

##### Electrical Characteristics:

- Shielded = No

##### Termination Features:

- Solder Tail Contact Plating = Tin-Lead over Nickel

##### Dimensions:

- Height (mm [in]) = 12.70 [0.500]
- PCB Thickness, Recommended (mm [in]) = 1.57 [0.062]

##### Body Features:

- Inverted Jack Face = No

##### Contact Features:

- Contact Plating, Mating Area, Material = Gold (50)
- Contact Base Material = Phosphor Bronze

##### Housing Features:

- Housing Material = High Temperature Nylon
- UL Flammability Rating = UL 94V-0

##### Configuration Features:

- Preloaded = Yes
- Port Configuration = Single
- Jack Configuration = 1 x 1
- Number of Positions = 8
- Number of Contacts Loaded = 8

##### Industry Standards:

- RoHS/ELV Compliance = ELV compliant, 5 of 6 Compliant
- Lead Free Solder Processes = Reflow solder capable to 245°C

##### Packaging Features:

- Packaging Method = Tray

##### Product Availability:

- Region = Asia, North America

##### Other:

- Brand = AMP

#### Corporate Information

- About TE
- Investors
- News Room
- Supplier Portal
- Careers
- Terms & Conditions
- Privacy Policy

#### Quick Links

- Distributor Inventory
- Product Cross Reference
- Documents & Drawings
- Product Compliance Support Center
- Site Map

#### Customer Support

- Email or Chat With Us
- Find a Phone Number
- Knowledge Base
- Manage Your Account

#### Keep Me Informed

