

10 9 8 7 6 5 4 3 2 1

F


E

D



C

B


A




SECT. X-X



SECT. Y-Y



DETAIL A
(SCALE 2:1)



DETAIL B
(SCALE 2:1)

注記

1. 一般交差 : ±0.5
GENERAL TOLERANCES: ±0.5
2. 各部の反りは2.0MAX.
WARP: 2.0MAX.

RELEASED	EC NO: J2008-3778	DRWN:Y TOKUZONO 2008/04/28	CHKD:T HARUYAMA 2008/04/28	APPR:NUKITA 2008/04/30	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED) 10 UNDER ± --- 10 OVER 30 UNDER ± --- 30 OVER ± --- ANGULAR ± --- ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY		SCALE 1:2	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	A
	0	REV	DRAWN BY DATE Y. TOKUZONO 2008/4/22				TITLE TRAY FOR 55917 (2.0 W/B DUAL DIP PLUG HS'G ASS'Y WITH BOSS)					
			CHECKED BY DATE T. HARUYAMA 2008/4/22									
			APPROVED BY DATE N. UKITA 2008/4/22									
			MATERIAL NO. 098910023									
SIZE A3		DOCUMENT NO. SD-55917-001		SHEET NO. 1 OF 1		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

DO NOT SCALE DRAWING

8

7

6

5

4

3

2

1

F


E

C

C

1

55917003.S01



注記
NOTES

1. 材料 MATERIAL
ピン : 黄銅, ニッケル下地鍍メッキ
PIN : BRASS, Sn OVER Ni PLATED
ハウジング : PBT (ガラス入り:15%)・UL94V-0
HOUSING : PBT(G.F.:15%), UL94V-0
2. 嵌合相手 : 51353シリーズ
MATE WITH : 51353 SERIES
3. ソルダータールキンプは、両端の8ピンのみとする。
KINK TO BE APPLIED FOR 8 PINS
AT BOTH ENDS.


△ (全極数/2) = 偶数の場合に適用。
APPLY FOR (CIRCUIT/2) = EVEN

△5 製品番号
MATERIAL NO.

55917-***|*

極数 CIRCUIT SIZE	色 COLOR
-----------------	---------

	ナチュラル (白) NATURAL (WHITE)	0
	黒 BLACK	1
R	赤 RED	2
	黄 YELLOW	3
	青 BLUE	4
	桃 PINK	5
	緑 GREEN	6
	茶 BROWN	7
	橙 ORANGE	8
	紫 VIOLET	9



無鉛
LEAD FREE


41.8	38	43.4	55917-40	40
39.8	36	41.4	↑ -38	38
37.8	34	39.4	-36	36
35.8	32	37.4	-34	34
33.8	30	35.4	-32	32
31.8	28	33.4	-30	30
29.8	26	31.4	-28	28
27.8	24	29.4	-26	26
25.8	22	27.4	-24	24
23.8	20	25.4	-22	22
21.8	18	23.4	-20	20
19.8	16	21.4	-18	18
17.8	14	19.4	-16	16
15.8	12	17.4	-14	14
13.8	10	15.4	↓ -12	12
11.8	8	13.4	-10	10
9.8	6	11.4	55917-08	8
C	B	A	△ MATERIAL NO.	CKT.

D	REVISED 233NO. J2003-3290 DRWN:NJTO '03/06/26 CHK: K.ASAKAWA APPR: T.YAMAGUCHI
C	REVISED 233NO. J2003-3134 DRWN:NJTO '03/06/19 CHK: K.ASAKAWA APPR: T.YAMAGUCHI
B	REVISED 232NO. J2002-2307 DRWN:NJTO '02/03/18 CHK: K.ASAKAWA APPR: T.YAMAGUCHI
A	REVISED 231NO. J2002-1826 DRWN:NJTO '02/02/28 CHK: K.ASAKAWA APPR: T.YAMAGUCHI
0	RELEASED 230NO. J2002-1196 DRWN:NJTO '01/12/17 CHK: K.ASAKAWA APPR: T.YAMAGUCHI




DESCRIPTION	MATERIAL 材料	注記参照 SEE NOTES
	FINISH 仕上げ	—— //
REV	WIRE RANGE 適用電線範囲	—— //
	INS. RANGE 被覆外径	—— //

GENERAL TOLERANCES: (UNLESS SPECIFIED)		
一般公差		
10 UNDER 未満		± 0.2
10 OVER 以上	30 UNDER 未満	± 0.2
30 OVER 以上		± 0.3
ANGLE	角度	$\pm 3^\circ$


55917-***I*		MODEL NO.		DIMENSIONS:		SHT		REV	
SCALE --	DESIGN UNITS ☒ mm ☐ INCH	 THIRD ANGLE PROJECTION		☐ mm INCH	☐ INCH mm	☒ mm ONLY	REVISION ON CAD ONLY		
DRAWN BY & DATE N.I.TO '01/12/17		TITLE: 2.0mm W-t-B DUAL CONN DIP PLUG HOUSING ASS'Y ST (WITH BOSS)							
CHECKED BY & DATE K.ASAKAWA '03/06/26									
APPROVED BY & DATE T.YAMAGUCHI '03/06/26		 MOLEX INCORPORATED							
CAD FILENAME 55917003.S01		MATERIAL NO. SEE CHART		DRAWING NO. SD-55917-003			SHEET NO. 1 OF 2		
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.									SIZE B



基板取付穴推奨寸法 (マウント面)
RECOMMENDED P.C.BOARD
HOLE DIMENSION
(MOUNTING SIDE)
(t = 1.6)



無鉛
LEAD FREE



嵌合断面図 (参考)
MATED DRAWING (REF.)

REVISED	REVISED	REVISED	REVISED	RELEASED
184NO. J2003-3290 DRWN:N.ITO '03/06/26 CHK: K.ASAKAWA APPR: T.YAMAGUCHI	183NO. J2003-3134 DRWN:N.ITO '03/06/19 CHK: K.ASAKAWA APPR: T.YAMAGUCHI	182NO. J2002-2307 DRWN:N.ITO '02/03/18 CHK: K.ASAKAWA APPR: T.YAMAGUCHI	181NO. J2002-1826 DRWN:N.ITO '02/02/28 CHK: K.ASAKAWA APPR: T.YAMAGUCHI	180NO. J2002-1196 DRWN:N.ITO '01/12/17 CHK: K.ASAKAWA APPR: T.YAMAGUCHI
D	C	B	A	0

MATERIAL 材料	FINISH 仕上り	WIRE RANGE 適用電線範囲	INS. RANGE 被覆外径
注記参照 SEE NOTES	//	//	//

GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	10 UNDER 未満	± 0.2
	10 OVER 30 UNDER 以上 未満	± 0.25
	30 OVER 以上	± 0.3
ANGLE 角度		$\pm 3^\circ$

55917-***1*	MODEL NO.	DIMENSIONS:	SHT	REV
SCALE 4:1	DESIGN UNITS ☒ mm ☐ INCH	☐ mm ☐ INCH ☒ mm ONLY	2	2
DRAWN BY & DATE N.ITO '01/12/17	CHECKED BY & DATE K.ASAKAWA '03/06/26	TITLE: 2.0mm W-t-B DUAL CONN DIP PLUG HOUSING ASS'Y ST (WITH BOSS)		
APPROVED BY & DATE T.YAMAGUCHI '03/06/26			MOLEX INCORPORATED	
CAD FILENAME 55917003.S02	MATERIAL NO. SEE CHART	DRAWING NO. SD-55917-003	SHEET NO. 2 OF 2	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			SIZE B	