

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [5600201520](#)
Status: **Active**
Overview: [DuraClik Connector System](#)
Description: DuraClik Wire-to-Board Header, Single Row, Vertical, 15 Circuits, Tin (Sn) Plating, Natural

Documents:

3D Model	Packaging Specification PK-560020-002-JP-001 (PDF)
3D Model (PDF)	Datasheet (PDF)
Drawing (PDF)	RoHS Certificate of Compliance (PDF)
Product Specification PS-502351-001-001 (PDF)	

Agency Certification

UL E29179

General

Product Family PCB Headers
 Series [560020](#)
 Application Automotive, Signal, Wire-to-Board
 Comments The Operating Temperature Range when used with DuraClik series 502351 is -40°C to +105°C. It is -40°C to 125°C when used with DuraClik ISL series 560123 or TPA series 505151.


Overview [DuraClik Connector System](#)
 Product Name DuraClik
 UPC 887191751139

Physical

Breakaway	No
Circuits (Loaded)	15
Circuits (maximum)	15
Color - Resin	Natural
Durability (mating cycles max)	30
First Mate / Last Break	No
Flammability	SC-0
Glow-Wire Capable	No
Keying to Mating Part	None
Lock to Mating Part	Yes
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Resin	Polyamide
Net Weight	1.609/g
Number of Rows	1
Orientation	Vertical
PCB Locator	No
PCB Retention	Yes
Packaging Type	Embossed Tape on Reel
Pitch - Mating Interface	2.00mm
Polarized to Mating Part	Yes
Polarized to PCB	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C, -40° to +125°C
Termination Interface: Style	Surface Mount

Electrical

Current - Maximum per Contact 3.0A



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Contained Per -
 D(2020)4578-DC (25 June 2020)
 1,2-Benzenedicarboxylic acid, dihexyl ester, bra
 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-b
 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol
 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3, ammoniumpentadecafluorooctanoate
 1,3-propanesultone
 dibutyltin dichloride
 1,2-diethoxyethane
 diisopentylphthalate
 disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)
 decamethylcyclopentasiloxane
 perfluorooctanoic acid
 di-n-pentyl phthalate (DPP)
 Perfluorohexane-1-sulphonic acid and its salts
 reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioct
 Methylhexahydrophthalic anhydride
 Perfluorononan-1-oic acid
 (2,2,3,3,4,4,5,5,6,6,7

China RoHS

Voltage - Maximum

125V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Packaging Specification

Product Specification

Sales Drawing

PK-560020-002-JP-001

PS-502351-001-001

SD-560020-001-001, SD-560020-003-001

Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o

Pyrene

Tris(4-nonylphenyl,
branched and linear)
phosphi

Nonadecafluorodecanoic
acid (PFDA) and its
sodium

Boric acid

n-pentyl-
isopentylphthalate

1,2-
benzenedicarboxylic
acid, dipentylester,
brom

diisohexyl phthalate
di-n-pentyl phthalate

(DPP)

cadmium

lead

orange lead

cadmium sulphide

cadmium oxide (non-
pyrophoric)

bis(pentabromophenyl)
ether

1,2-bis(2-
methoxyethoxy)ethane

1,2-dimethoxyethane

pentazinc chromate

octahydroxide

bis(2-methoxyethyl)

ether

strontium chromate

Lead sulfochromate

yellow

ethylene thiourea

dihexyl phthalate

(DnHP)

4-aminoazobenzene

benzo[a]pyrene

[phthalato(2-)]dioxotrilead

Sulfurous acid, lead

salt, dibasic

lead cyanamidate

Lead titanium

zirconium oxide

dioxobis(stearato)trilead

pentalead tetraoxide

sulphate

lead oxide sulfate

lead dinitrate

Halogen-Free

Status

Not Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

Green Image

ELV

Compliant

RoHS Phthalates

Not Contained

Search Parts in this Series

[560020 Series](#)

Mates With

DuraClik Crimp Housings [502351](#) , [560123](#) ,
[505151](#)

This document was generated on 10/27/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION