

# DSPL-NR2-0-50MM ✓ ACTIVE

RAYCHEM | RAYCHEM DSPL

TE Internal #: 5983226001

Black, 4:1, Dual Wall Tubing, Shrinks To .065 in [1.65 mm],  
Irradiated Modified Polyolefin, .295 in [7.5 mm] Inner Diameter,  
RAYCHEM DSPL

[View on TE.com >](#)



Heat Shrink Tubing > DSPL Heat Shrink Tubing



Primary Product Color: **Black**

Wall Type: **Dual Wall**

Expanded Inside Diameter (Min): **7.5 mm [ .295 in ]**

Recovered Inside Diameter (Max): **1.65 mm [ .065 in ]**

Shrink Ratio: **4:1**

[All DSPL Heat Shrink Tubing \(19\)](#)

## Features

### Product Type Features

Wall Type	Dual Wall
-----------	-----------

### Body Features

Primary Product Color	Black
Shrink Ratio	4:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Semi-Rigid

### Dimensions

Expanded Inside Diameter (Min)	7.5 mm[.295 in]
Recovered Inside Diameter (Max)	1.65 mm[.065 in]
Tubing Size Range	1.65 - 7.5 mm[.065 - .295 in]

### Usage Conditions

Shrink Temperature (Min)	110 °C
--------------------------	--------

## Resistance Properties

## Moisture, Splash Protection

Tubing Flammability Type

Flame-Retardant

Operating Temperature Range

-40 - 125 °C

Recovery Temperature

135 °C

## Operation/Application

Mechanical Resistance

Abrasion, Fluids

## Product Availability

Applicable Region

EMEA

## Packaging Features

Packaging Method

Piece

## Other

Product Source

Czech Republic

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JAN 2024 (240)  
 Candidate List Declared Against: JAN 2024 (240)  
 Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl &gt; 900 ppm.

Solder Process Capability

Not applicable for solder process capability

## Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # EG1114-000  
CV1981-ST-230V1600W-EU

## Also in the Series | RAYCHEM DSPL



Heat Shrink Tubing(19)


## Customers Also Bought



TE Part # 326859  
TERMINAL,PIDG SPD 12-10 6



TE Part # 1625984-1  
HSA50 100R 5%



TE Part # 1-534998-0  
20 MODIV VRT DR CE 100/125



TE Part # 1461404-1  
OJ-SH-105LM,000



TE Part # CONSMA024-G-T  
SMA Jack 50 Ohm PCB Edge Mount



TE Part # YD369-B99-AP4-119P  
369 9 WAY PANEL MNT REC, 90 PCB  
PIN 119P



TE Part # CH5292-000  
PP000003

## Documents

[Product Drawings](#)

[DSPL-NR2-0-50MM](#)

English

[Datasheets & Catalog Pages](#)



[Measuring\\_Single\\_Wall\\_Tubing](#)

English

[DSPL Pages from 9-1773447-9](#)

English

[Selecting\\_Correct\\_Tubing\\_1216](#)

English

---

**Product Specifications**

[Application Specification](#)

English