

Products → Low Voltage Products and Systems → Connection Devices → Terminal Blocks  
 → Railway Terminal Blocks

## General Information

<b>Extended Product Type:</b>	ES8-CG
<b>Product ID:</b>	1SNA400015R2000
<b>EAN:</b>	3472594000150
<b>Catalog Description:</b>	ES8-CG Screw Clamp Terminal Block - Disconnect - Beige
<b>Long Description:</b>	- Particularly recommended for corrosive atmosphere: Self-cleaning displacement system and dust protection with plastic cover, - Ease and safe your disconnect operations with the disconnect 1/4 turn push-turn knob, - Possibility to seal in the open position, - Ease your test operations with the built-in test socket.

## Ordering

<b>Color:</b>	Beige
<b>Minimum Order Quantity:</b>	25 piece
<b>Customs Tariff Number:</b>	85369010

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	1SNC001003C0302
<b>Instructions and Manuals:</b>	1SNC001003C0302

## Dimensions

<b>Product Net Width:</b>	8 mm
<b>Product Net Height:</b>	55.5 mm
<b>Product Net Depth / Length:</b>	45 mm
<b>Product Net Weight:</b>	21 g

## Technical

<b>Rated Cross-Section:</b>	6 mm <sup>2</sup>
<b>Spacing:</b>	8 mm
<b>Connection Type:</b>	Screw clamp
<b>Function:</b>	Disconnect
<b>Number of Levels:</b>	1
<b>Connecting Capacity Main Circuit:</b>	Screw Clamp / Flexible 1x 0.5 ... 6 mm <sup>2</sup> Screw Clamp / Rigid 1x 0.5 ... 10 mm <sup>2</sup>
<b>Rated Current (I<sub>n</sub>):</b>	Main Circuit 15 A
<b>Insulation Material:</b>	Polyamide

<b>Mounting on DIN Rail:</b>	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Tightening Torque:</b>	acc. IEC 60947-1 0.8 N·m Manufacturer 1 N·m
---------------------------	------------------------------------------------

## Technical UL/CSA

<b>Connecting Capacity UL/CSA:</b>	Stranded 10 AWG
------------------------------------	-----------------

## Environmental

<b>Ambient Air Temperature:</b>	Operation -55 ... +110 °C Storage -55 ... +110 °C
---------------------------------	------------------------------------------------------

## Certificates and Declarations (Document Number)

<b>Declaration of Conformity - CE:</b>	1SND225047U1000
----------------------------------------	-----------------

<b>EAC Certificate:</b>	1SND161009A1100
-------------------------	-----------------

<b>Instructions and Manuals:</b>	1SNC001003C0302
----------------------------------	-----------------

## Classifications

<b>Object Classification Code:</b>	X
------------------------------------	---

<b>ETIM 4:</b>	EC000902 - (Knife) disconnect terminal block
----------------	----------------------------------------------

<b>ETIM 5:</b>	EC000902 - (Knife) disconnect terminal block
----------------	----------------------------------------------

<b>ETIM 6:</b>	EC000902 - (Knife) disconnect terminal block
----------------	----------------------------------------------

## Container Information

<b>Package Level 1 Units:</b>	25 piece
-------------------------------	----------

<b>Package Level 1 Width:</b>	62 mm
-------------------------------	-------

<b>Package Level 1 Depth / Length:</b>	230 mm
----------------------------------------	--------

<b>Package Level 1 Height:</b>	64 mm
--------------------------------	-------

<b>Package Level 1 Gross Weight:</b>	0.525 kg
--------------------------------------	----------

<b>Package Level 1 EAN:</b>	3472594000150
-----------------------------	---------------

<b>Package Level 2 Units:</b>	400 piece
-------------------------------	-----------

<b>Package Level 2 Width:</b>	300 mm
-------------------------------	--------

<b>Package Level 2 Depth / Length:</b>	500 mm
----------------------------------------	--------

<b>Package Level 2 Height:</b>	150 mm
--------------------------------	--------

<b>Package Level 3 Units:</b>	19200 piece
-------------------------------	-------------

<b>Product Packing Type:</b>	Box
------------------------------	-----

