

Circuits, 0.38 μ m
Gold (Au) Selective
Plating, without
Center Polarization
Key and Locking
Friction Ramp
2.00mm Pitch Milli- 0875681064
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 10
Circuits, 0.76 μ m
Gold (Au) Selective
Plating, without
Center Polarization
Key and Locking
Friction Ramp
2.00mm Pitch Milli- 0875681074
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 10
Circuits, 0.76 μ m
Gold (Au) Selective
Plating, without
Center Polarization
Key, with Locking
Friction Ramp
2.00mm Pitch Milli- 0875681263
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 12
Circuits, 0.38 μ m
Gold (Au) Selective
Plating, without
Center Polarization
Key and Locking
Friction Ramp
2.00mm Pitch Milli- 0875681264
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 12
Circuits, 0.76 μ m
Gold (Au) Selective
Plating, without
Center Polarization
Key and Locking
Friction Ramp
2.00mm Pitch Milli- 0875681273
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 12
Circuits, 0.38 μ m
Gold (Au) Selective
Plating, without
Center Polarization
Key, with Locking
Friction Ramp
2.00mm Pitch Milli- 0875681274
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,

Lead-Free, 12
Circuits, 0.76µm
Gold (Au) Selective
Plating, without
Center Polarization
Key, with Locking
Friction Ramp
2.00mm Pitch Milli- 0875681443
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 14
Circuits, 0.38µm
Gold (Au) Selective
Plating, with Center
Polarization Key,
without Locking
Friction Ramp
2.00mm Pitch Milli- 0875681444
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 14
Circuits, 0.76µm
Gold (Au) Selective
Plating, with Center
Polarization Key,
without Locking
Friction Ramp
2.00mm Pitch Milli- 0875681463
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 14
Circuits, 0.38µm
Gold (Au) Selective
Plating, without
Center Polarization
Key and Locking
Friction Ramp
2.00mm Pitch Milli- 0875681493
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 14
Circuits, 0.38µm
Gold (Au) Selective
Plating, with Center
Polarization Key
and Locking Friction
Ramp
2.00mm Pitch Milli- 0875681494
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 14
Circuits, 0.76µm
Gold (Au) Selective
Plating, with Center
Polarization Key
and Locking Friction
Ramp
2.00mm Pitch Milli- 0875681643
Grid™ Cable-to-
Board Receptacle,

Dual Row, IDT,
Lead-Free, 16
Circuits, 0.38 μ m
Gold (Au) Selective
Plating, with Center
Polarization Key,
without Locking
Friction Ramp
2.00mm Pitch Milli- 0875681644
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 16
Circuits, 0.76 μ m
Gold (Au) Selective
Plating, with Center
Polarization Key,
without Locking
Friction Ramp
2.00mm Pitch Milli- 0875681663
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 16
Circuits, 0.38 μ m
Gold (Au) Selective
Plating, without
Center Polarization
Key and Locking
Friction Ramp
2.00mm Pitch Milli- 0875681664
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 16
Circuits, 0.76 μ m
Gold (Au) Selective
Plating, without
Center Polarization
Key and Locking
Friction Ramp
2.00mm Pitch Milli- 0875681693
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 16
Circuits, 0.38 μ m
Gold (Au) Selective
Plating, with Center
Polarization Key
and Locking Friction
Ramp
2.00mm Pitch Milli- 0875681694
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 16
Circuits, 0.76 μ m
Gold (Au) Selective
Plating, with Center
Polarization Key
and Locking Friction
Ramp
2.00mm Pitch Milli- 0875682043
Grid™ Cable-to-

Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682044
0875682063	
0875682064	
0875682093	
0875682094	

2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875682243
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875682244
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875682263
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682293
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682294
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key,	0875682443

without Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875682444
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875682463
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 24 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682493
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875682643
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875682644
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, without	0875682663

Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682693
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682694
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683043
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683044
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38μm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683063
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76μm Gold (Au) Selective	0875683064

Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875683093
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875683094
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683443
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683444
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683463
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm	0875683493

Gold (Au) Selective
Plating, with Center
Polarization Key
and Locking Friction
Ramp
2.00mm Pitch Milli- 0875683494
Grid™ Cable-to-
Board Receptacle,
Dual Row, IDT,
Lead-Free, 34
Circuits, 0.76µm
Gold (Au) Selective
Plating, with Center
Polarization Key
and Locking Friction
Ramp

This document was generated on 04/24/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION