

Pitch, Unguided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551606
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall,
16 Columns, 192
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551634
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551635
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
16 Columns, 192
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551803
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 8
Columns, 96 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551805
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 8
Columns, 96 Circuits,
Pin Length 5.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551806
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 8
Columns, 96 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551807
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551808
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 8
Columns, 96 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0764551108
2 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 10
Columns, 60 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551103
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall,
10 Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551106
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall,
10 Columns, 120

Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551113
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551114
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551118
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551123
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 120
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551124
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761551125
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761551127
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761551128
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761551134
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761551138
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
10 Columns, 120
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761551323
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,

Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761551326
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761551327
4 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 6
Columns, 72 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761459607
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761459605
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761459604
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 16
Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761459114
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

Impact™ 100 Ohm 0761453104
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761453105
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761453107
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761453108
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761453118
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm

Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact™ 100 Ohm 0761453604
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761453605
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761453607
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761455118
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact™ 100 Ohm 0761455604
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
16 Columns, 288

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761455605
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761455617
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact™ 100 Ohm 0761457104
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761457107
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761457108
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761457604
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761457605
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761457607
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761457608
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
16 Columns, 288
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761459104
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

This document was generated on 05/17/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION