

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [62100-2200](#)  
**Status:** **Active**  
**Description:** Manual Press with IDT Ribbon Cable Tool Kit

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)


**General**

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	N/A
Survey	<a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a>
Tool Type	Tool Kit
UPC	884982115606

**Material Info**

**Reference - Drawing Numbers**

Application Tooling Documents TM-011316356, TM-621002200



<b>EU RoHS</b>	<b>China RoHS</b>
<b>Compliance Status</b>	
<b>Not Reviewed</b>	
<b>REACH SVHC</b>	
<b>Not Reviewed</b>	
<b>Low-Halogen Status</b>	
<b>Not Reviewed</b>	

**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

T9999Series

Application Tooling Description	FAQ Product #
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key, with Locking Friction Ramp	0875681073
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization	0875681063

Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization	0875681064
Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 10 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization	0875681074
Key, with Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization	0875681263
Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization	0875681264
Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization	0875681273
Key, with Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 12 Circuits, 0.76µm Gold (Au) Selective Plating, without	0875681274

Center Polarization Key, with Locking Friction Ramp	
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875681443
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875681444
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38μm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875681463
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875681493
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 14 Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875681494
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38μm Gold (Au) Selective	0875681643

Plating, with Center Polarization Key, without Locking Friction Ramp	
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875681644
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38μm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875681663
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76μm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875681664
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.38μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875681693
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 16 Circuits, 0.76μm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875681694
2.00mm Pitch Milli-Grid™ Cable-to-Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38μm	0875682043

Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm	0875682044
Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm	0875682063
Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm	0875682064
Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.38µm	0875682093
Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 20 Circuits, 0.76µm	0875682094
Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp 2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 22	0875682243

Circuits, 0.38 $\mu$ m  
Gold (Au) Selective  
Plating, with Center  
Polarization Key,  
without Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682244  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 22

Circuits, 0.76 $\mu$ m  
Gold (Au) Selective  
Plating, with Center  
Polarization Key,  
without Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682263  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 22

Circuits, 0.38 $\mu$ m  
Gold (Au) Selective  
Plating, without  
Center Polarization  
Key and Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682293  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 22

Circuits, 0.38 $\mu$ m  
Gold (Au) Selective  
Plating, with Center  
Polarization Key  
and Locking Friction  
Ramp  
2.00mm Pitch Milli- 0875682294  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 22

Circuits, 0.76 $\mu$ m  
Gold (Au) Selective  
Plating, with Center  
Polarization Key  
and Locking Friction  
Ramp  
2.00mm Pitch Milli- 0875682443  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 24

Circuits, 0.38 $\mu$ m  
Gold (Au) Selective  
Plating, with Center  
Polarization Key,  
without Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682444  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,

Lead-Free, 24  
Circuits, 0.76µm  
Gold (Au) Selective  
Plating, with Center  
Polarization Key,  
without Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682463  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 24  
Circuits, 0.38µm  
Gold (Au) Selective  
Plating, without  
Center Polarization  
Key and Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682493  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 24  
Circuits, 0.38µm  
Gold (Au) Selective  
Plating, with Center  
Polarization Key  
and Locking Friction  
Ramp  
2.00mm Pitch Milli- 0875682643  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 26  
Circuits, 0.38µm  
Gold (Au) Selective  
Plating, with Center  
Polarization Key,  
without Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682644  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 26  
Circuits, 0.76µm  
Gold (Au) Selective  
Plating, with Center  
Polarization Key,  
without Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682663  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 26  
Circuits, 0.38µm  
Gold (Au) Selective  
Plating, without  
Center Polarization  
Key and Locking  
Friction Ramp  
2.00mm Pitch Milli- 0875682693  
Grid™ Cable-to-  
Board Receptacle,

Dual Row, IDT, Lead-Free, 26 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 26 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875682694
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683043
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683044
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683063
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683064
2.00mm Pitch Milli- Grid™ Cable-to-	0875683093

Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 30 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875683094
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683443
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.76µm Gold (Au) Selective Plating, with Center Polarization Key, without Locking Friction Ramp	0875683444
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, without Center Polarization Key and Locking Friction Ramp	0875683463
2.00mm Pitch Milli- Grid™ Cable-to- Board Receptacle, Dual Row, IDT, Lead-Free, 34 Circuits, 0.38µm Gold (Au) Selective Plating, with Center Polarization Key and Locking Friction Ramp	0875683493

2.00mm Pitch Milli- 0875683494  
Grid™ Cable-to-  
Board Receptacle,  
Dual Row, IDT,  
Lead-Free, 34  
Circuits, 0.76µm  
Gold (Au) Selective  
Plating, with Center  
Polarization Key  
and Locking Friction  
Ramp

This document was generated on 04/24/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**