

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62100-6300](#)
Status: **Active**
Description: LPH Vertical Receptacle Power Terminal Removal Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Removal
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PremiumGrade™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	883906174705

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-621006300
-------------------------------	---------------



image - Reference only

EU RoHS	China RoHS
----------------	-------------------

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T9999Series

Application Tooling	FAQ
Description	Product #

1.27mm, 12.00mm Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, 10 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, with BMI Guides	0461141012
1.27mm, 12.00mm Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, 10 Power Contacts, 12 Signal Contacts, Select Gold (Au) Plating, without BMI Guides	0461141013
1.27mm, 12.00mm Pitch, EXTreme	0461141016

LPHPower™
Receptacle Header,
Vertical, 10 Power
Contacts, 16 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141017
Pitch, EXTreme

LPHPower™
Receptacle Header,
Vertical, 10 Power
Contacts, 16 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141020
Pitch, EXTreme

LPHPower™
Receptacle Header,
Vertical, 10 Power
Contacts, 20 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141021
Pitch, EXTreme

LPHPower™
Receptacle Header,
Vertical, 10 Power
Contacts, 20 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141024
Pitch, EXTreme

LPHPower™
Receptacle Header,
Vertical, 10 Power
Contacts, 24 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141025
Pitch, EXTreme

LPHPower™
Receptacle Header,
Vertical, 10 Power
Contacts, 24 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141028
Pitch, EXTreme

LPHPower™
Receptacle Header,
Vertical, 10 Power
Contacts, 28 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141029
Pitch, EXTreme

LPHPower™
Receptacle Header,

Vertical, 10 Power Contacts, 28 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm	0461141032
Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, 10 Power Contacts, 38 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm	0461141033
Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, 10 Power Contacts, 38 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm	0461141036
Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, 10 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm	0461141037
Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, 10 Power Contacts, 36 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm	0461141040
Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, 10 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, with BMI Guides 1.27mm, 12.00mm	0461141041
Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, 10 Power Contacts, 40 Signal Contacts, Select Gold (Au) Plating, without BMI Guides 1.27mm, 12.00mm	0461141212
Pitch, EXTreme LPHPower™ Receptacle Header, Vertical, Compliant Pin, 12 Power	

Contacts, 12 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141213
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 12 Power
Contacts, 12 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141216
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 12 Power
Contacts, 16 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141217
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 12 Power
Contacts, 16 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141220
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 12 Power
Contacts, 20 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141221
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 12 Power
Contacts, 20 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141224
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 12 Power
Contacts, 24 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides

1.27mm, 12.00mm	0461141225
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 12 Power	
Contacts, 24 Signal	
Contacts, Select	
Gold (Au) Plating,	
without BMI Guides	
1.27mm, 12.00mm	0461141228
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 12 Power	
Contacts, 28 Signal	
Contacts, Select	
Gold (Au) Plating,	
with BMI Guides	
1.27mm, 12.00mm	0461141229
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 12 Power	
Contacts, 28 Signal	
Contacts, Select	
Gold (Au) Plating,	
without BMI Guides	
1.27mm, 12.00mm	0461141232
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 12 Power	
Contacts, 32 Signal	
Contacts, Select	
Gold (Au) Plating,	
with BMI Guides	
1.27mm, 12.00mm	0461141233
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 12 Power	
Contacts, 32 Signal	
Contacts, Select	
Gold (Au) Plating,	
without BMI Guides	
1.27mm, 12.00mm	0461141236
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 12 Power	
Contacts, 36 Signal	
Contacts, Select	
Gold (Au) Plating,	
with BMI Guides	
1.27mm, 12.00mm	0461141237
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	

Pin, 12 Power
Contacts, 36 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141240
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 12 Power
Contacts, 40 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141241
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 12 Power
Contacts, 40 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141412
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 12 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141413
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 12 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141416
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 16 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141417
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 16 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides

1.27mm, 12.00mm	0461141420
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 14 Power	
Contacts, 20 Signal	
Contacts, Select	
Gold (Au) Plating,	
with BMI Guides	
1.27mm, 12.00mm	0461141421
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 14 Power	
Contacts, 20 Signal	
Contacts, Select	
Gold (Au) Plating,	
without BMI Guides	
1.27mm, 12.00mm	0461141424
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 14 Power	
Contacts, 24 Signal	
Contacts, Select	
Gold (Au) Plating,	
with BMI Guides	
1.27mm, 12.00mm	0461141425
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 14 Power	
Contacts, 24 Signal	
Contacts, Select	
Gold (Au) Plating,	
without BMI Guides	
1.27mm, 12.00mm	0461141428
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 14 Power	
Contacts, 28 Signal	
Contacts, Select	
Gold (Au) Plating,	
with BMI Guides	
1.27mm, 12.00mm	0461141429
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	
Pin, 14 Power	
Contacts, 28 Signal	
Contacts, Select	
Gold (Au) Plating,	
without BMI Guides	
1.27mm, 12.00mm	0461141432
Pitch, EXTreme	
LPHPower™	
Receptacle Header,	
Vertical, Compliant	

Pin, 14 Power
Contacts, 32 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141433
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 32 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141436
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 36 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141437
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 36 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461141440
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 40 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides
1.27mm, 12.00mm 0461141441
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, Compliant
Pin, 14 Power
Contacts, 40 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides
1.27mm, 12.00mm 0461142120
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, 2 Power
Contacts, 12 Signal
Contacts, Select
Gold (Au) Plating,
with BMI Guides

1.27mm, 12.00mm 0461142121
Pitch, EXTreme
LPHPower™
Receptacle Header,
Vertical, 2 Power
Contacts, 12 Signal
Contacts, Select
Gold (Au) Plating,
without BMI Guides

This document was generated on 05/17/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION