

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62100-7800](#)
Status: **Active**
Description: Removal Tool for Vertical Signal Modules

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	EXTreme Ten60Power™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	883906317973

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-621007800
-------------------------------	---------------




image - Reference only

EU RoHS	China RoHS
----------------	-------------------

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T9999Series

Use With

Ten60™ Vertical Signal Modules, [46534](#) and [46724](#) Series. Ten60™ Vertical Receptacle Assemblies, [46562](#) Series

Application Tooling	FAQ
Description	Product #

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 27 Signal Circuits, 10 Power Circuits	0465621073
---	------------

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal	0465621094
---	------------

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 27 Signal Circuits, 10 Power Circuits

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal	0465621094
---	------------

2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal

Circuits, 14 Power Circuits 2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 45 Signal Circuits, 18 Power Circuits	0465621106
2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 2 Power Circuits	0465621119
2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 6 Power Circuits	0465623005
7.500mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly , 2 Power Circuits	0465629102
2.00mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 10 Signal Circuits, 2 Power Circuits	0465621001
2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 6 Power Circuits	0465621003
2.54mm, 5.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 4 Power Circuits	0465621011
2.54mm, 5.50mm, 7.50mm Pitch EXTreme Ten60Power™ Vertical Receptacle Assembly with Guide Receivers, 24 Signal Circuits, 7 Power Circuits	0465621020

2.54mm, 5.50mm	0465621035
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 3 DC	
Power Circuits, 33	
Signal Circuits, 9 DC	
Power Circuits, 9 DC	
Power Circuits	
2.54mm, 5.50mm,	0465621084
7.50mm Pitch	
EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 3 AC	
Power Circuits, 4 DC	
Power Circuits, 24	
Signal Circuits	
2.54mm, 5.50mm	0465621117
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 6 Power	
Circuits	
2.54mm, 5.50mm	0465621208
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 8 Power	
Circuits	
2.54mm, 5.50mm	0465623001
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 4 Power	
Circuits	
2.54mm, 5.50mm	0465623002
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 4 Power	
Circuits	
2.54mm, 5.50mm	0465623003
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
Assembly with Guide	
Receivers, 24 Signal	
Circuits, 4 Power	
Circuits	
2.54mm, 5.50mm	0465623004
Pitch EXTreme	
Ten60Power™	
Vertical Receptacle	
with Top Guide	

Receivers, 24 Signal
Circuits, 4 Power
Circuits
2.54mm, 5.50mm 0465623006
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 6 Power
Circuits
2.54mm, 5.50mm 0465623007
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 6 Power
Circuits
2.54mm, 5.50mm 0465623008
Pitch EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Top
Guide Receivers,
24 Signal Circuits, 6
Power Circuits
2.54mm, 5.50mm, 0465623010
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits
2.54mm, 5.50mm, 0465623011
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
Assembly with Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits
2.54mm, 5.50mm, 0465623012
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
with Top Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits
2.54mm, 5.50mm, 0465623013
7.50mm Pitch
EXTreme
Ten60Power™
Vertical Receptacle
with Top Guide
Receivers, 24 Signal
Circuits, 7 Power
Circuits

This document was generated on 05/17/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION