



lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0767622519
VHDM® H-Series Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin, Shield End Module, Open End Version, 150 Circuits, Pin Length 5.15mm, Keying Orientation A, Lead- Free. Series:76764 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	
2.00mm Pitch	0740571001
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 4.75mm, 0.76µm Gold Plating. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	
2.00mm Pitch	0740571002
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 6.25mm, 0.76µm Gold Plating. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	
2.00mm Pitch	0740571003
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 4.25mm, 0.76µm Gold Plating.	

Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740571004
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 5.15mm, 0.76µm Gold Plating.	
Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740571007
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 6.25mm, 1.27µm Gold Plating.	
Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740572501
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 150 Circuits, 25 Columns, Pin Length 4.75mm, 0.76µm Gold Plating.	
Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740572502
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6- Row, Open Signal Module, 150 Circuits,	

25 Columns, Pin  
Length 6.25mm,  
0.76µm Gold Plating.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740572503  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical, 6-  
Row, Open Signal  
Module, 150 Circuits,  
25 Columns, Pin  
Length 4.25mm,  
0.76µm Gold Plating.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740572504  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical, 6-  
Row, Open Signal  
Module, 150 Circuits,  
25 Columns, Pin  
Length 5.15mm,  
0.76µm Gold Plating.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740579001  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical, 6-  
Row, Open Signal  
Module, 60 Circuits,  
10 Columns, Pin  
Length 4.75mm,  
0.76µm Gold (Au)  
Plating, Lead-  
Free. Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740579009  
VHDM® Single-  
Ended Board-to-

Board Backplane Header, Vertical, 6-Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 5.15mm, 1.27µm Gold (Au) Plating, Lead-Free. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581001
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581003
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581004
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 5.15mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740581011

6-Row, Pin End  
Version, 60 Circuits,  
Pin Length 4.75mm.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740581012  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Pin End  
Version, 60 Circuits,  
Pin Length 6.25mm.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740581013  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Pin End  
Version, 60 Circuits,  
Pin Length 4.75mm.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740581014  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Pin End  
Version, 60 Circuits,  
Pin Length 5.15mm.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740581021  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Pin End  
Version, 60 Circuits,  
Pin Length 4.75mm.  
Series:74074  
Enables designers

to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 4.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 5.15mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740581022
to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 4.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 5.15mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740581023
to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 5.15mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740581024
to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740581032

2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 60 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740581052
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 150 Circuits, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740582501
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 150 Circuits, Pin Length 6.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740582502
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Pin End Version, 150 Circuits, Pin Length 4.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740582503
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical,	0740582504

6-Row, Pin End  
Version, 150 Circuits,  
Pin Length 5.15mm.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740582511  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Pin End  
Version, 150 Circuits,  
Pin Length 4.75mm.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740582512  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Pin End  
Version, 150 Circuits,  
Pin Length 6.25mm.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740582513  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Pin End  
Version, 150 Circuits,  
Pin Length 4.75mm.  
Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740582514  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Pin End  
Version, 150 Circuits,  
Pin Length 5.15mm.  
Series:74074  
Enables designers

to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm  
2.00mm Pitch 0740582521  
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 150 Circuits, Pin Length 4.75mm. Series:74074  
Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm  
2.00mm Pitch 0740582531  
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 150 Circuits, Pin Length 4.75mm. Series:74074  
Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm  
2.00mm Pitch 0740582541  
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 150 Circuits, Pin Length 4.75mm. Series:74074  
Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm  
2.00mm Pitch 0740582551  
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Pin End Version, 150 Circuits, Pin Length 4.75mm. Series:74074  
Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm

2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Pin End Version, 150 Circuits, Pin Length 4.75mm, Lead- Free. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740588501
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, 60 Circuits, Pin Length 4.75mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740591001
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 4.25mm. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm	0740591003
2.00mm Pitch VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 5.15mm. Series:74074 Enables designers	0740591004

to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740591011
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, 60 Circuits, Pin Length 4.75mm, Keying Orientation A. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740591012
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, 60 Circuits, Pin Length 6.25mm, Keying Orientation A. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740591013
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 4.25mm, Keying Orientation A. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740591014
VHDM® Single-Ended Board-to-Board Backplane Header, Vertical,	

6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 5.15mm, Keying Orientation A. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740591021
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, 60 Circuits, Pin Length 4.75mm, Keying Orientation B. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740591022
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, 60 Circuits, Pin Length 6.25mm, Keying Orientation B. Series:74074 Enables designers to create custom loaded connectors utilizing standard pin lengths 4.25, 4.75, 5.15 and 6.25mm 2.00mm Pitch	0740591023
VHDM® Single- Ended Board-to- Board Backplane Header, Vertical, 6-Row, Guide Pin Signal Module, Shield End Version, Pin End Version, 60 Circuits, Pin Length 4.25mm, Keying Orientation B. Series:74074 Enables designers to create custom	

loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm  
2.00mm Pitch 0740591024  
VHDM® Single-  
Ended Board-to-  
Board Backplane  
Header, Vertical,  
6-Row, Guide Pin  
Signal Module,  
Shield End Version,  
Pin End Version,  
60 Circuits, Pin  
Length 5.15mm,  
Keying Orientation  
B. Series:74074  
Enables designers  
to create custom  
loaded connectors  
utilizing standard pin  
lengths 4.25, 4.75,  
5.15 and 6.25mm

This document was generated on 05/20/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**