

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761453105
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761453107
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761453108
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761453118
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact™ 100 Ohm 0761455118
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm ,

Keying Orientation A,
Lead-Free
Impact™ 100 Ohm 0761457104
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761457107
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761457108
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761459104
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761459105
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761459108
6 Pair Vertical
Backplane Header,

1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761455107
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761455108
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451123
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451124
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451125
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 180
Circuits, Pin Length

5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451133
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451134
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761455104
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451138
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451137
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm	0761451127
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Dual Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact™ 100 Ohm	0761451103
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact™ 100 Ohm	0761451104
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact™ 100 Ohm	0761451105
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact™ 100 Ohm	0761451106
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwall, 10 Columns, 180 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact™ 100 Ohm	0761451107
6 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided,	

Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451108
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451113
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451114
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451115
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451116
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole

Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451117
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.90mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451118
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451126
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451128
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761451135
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761451136
6 Pair Vertical
Backplane Header,

1.90 by 1.35mm
Pitch, Unguided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761453103
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761453106
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761453116
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free
Impact™ 100 Ohm 0761455103
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761455105
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180

Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761455106
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Open Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761457103
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761457105
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761457106
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guided,
Right Endwall,
10 Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761459103
6 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guided,
Left Endwall, 10
Columns, 180
Circuits, Pin Length
4.50mm, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

This document was generated on 05/20/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION