

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62201-8647](#)
Status: **Active**
Description: Backplane Module Installation, Press-In Tool

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	Impact™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	883906116125

Physical

Net Weight 64.640/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622018647, TM-622018799](#)




image - Reference only

EU RoHS **China RoHS**

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T9999Series](#)

Use With

[76165 Impact™ Backplane Signal Modules Assembly](#)

Application Tooling | **FAQ**
Description | **Product #**

Impact™ 100 Ohm 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Open Endwall, 10 Columns, 90 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	0761651103
Impact™ 100 Ohm 3 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided,	0761651104

Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651105
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651106
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651107
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651108
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651113
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651114
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm

Pitch, Unguided,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651115
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651116
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651117
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651118
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651123
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651124
3 Pair Vertical
Backplane Header,

1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651125
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651126
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651127
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651128
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Dual Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651133
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651134
3 Pair Vertical

Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651135
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761651136
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651137
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761651138
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Unguided,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761653103
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761653104
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761653105
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761653106
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761653107
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761653108
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761655103
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole

Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761655104
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761655105
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761655106
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761655107
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761655108
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Open Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761657103
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,

Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761657104
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761657105
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761657106
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761657107
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761657108
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Left Guide,
Right Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761659103
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Left Endwall, 10
Columns, 90 Circuits,

Pin Length 4.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761659104
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761659105
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761659106
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 4.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761659107
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761659108
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Left Endwall, 10
Columns, 90 Circuits,
Pin Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761659114
3 Pair Vertical
Backplane Header,
1.90 by 1.35mm
Pitch, Right Guide,
Left Endwall, 10

Columns, 90 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free

This document was generated on 05/20/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION