

1.90 by 1.35mm
Pitch, Unguided,
16 Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 85 Ohm 1705305026
Plus 3 Pair Right
Angle Daughtercard,
1.90 by 1.35mm
Pitch, Right Guide,
16 Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead Free
Impact™ 100 Ohm 1715747807
4 Pair Right Angle
Orthogonal Direct
Header, Top Guide,
Dual Endwall, 8
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free with
Outrigger
Impact™ 100 Ohm 1715751118
5 Pair Right Angle
Orthogonal Direct
Header, Unguided,
10 Columns, 150
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm
with Outrigger
Impact™ 100 Ohm 1715761218
6 Pair Right Angle
Orthogonal Direct
Header, Unguided,
12 Columns, 144
Circuits, Pin Length
5.50mm, Plated
Through Hole
Dimension 0.39mm,
Lead-Free with
Outrigger
Impact™ 100 Ohm 0761601008
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761601010
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 10

Columns, 120
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761601016
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 16
Columns, 192
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761601020
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 10
Columns, 120
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761601026
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 16
Columns, 192
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761601038
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761603008
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761603010
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 10 Columns,
120 Circuits, Plated

Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761603016
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761603020
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761603026
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761603038
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761603120
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation A,
Lead-Free
Impact™ 100 Ohm 0761603126
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Keying Orientation A,
Lead-Free

Impact™ 100 Ohm 0761605008
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Right Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761605010
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761605016
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact™ 100 Ohm 0761605020
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761605026
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761605038
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Right Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761605110
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right

Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.46mm,
Key Orientation A,
Lead-Free, Keying
Orientation A
Impact™ 100 Ohm 0761605120
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 10 Columns,
120 Circuits, Plated
Through Hole
Dimension 0.39mm ,
Key Orientation A,
Lead-Free, Keying
Orientation A
Impact™ 100 Ohm 0761605126
4 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Right
Guided, 16 Columns,
192 Circuits, Plated
Through Hole
Dimension 0.39mm ,
Key Orientation A,
Lead-Free, Keying
Orientation A
Impact™ 100 Ohm 0761605138
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Right Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm ,
Polarization A, Lead-
Free
Impact™ 100 Ohm 0761605338
4 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Right Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm ,
Polarization C, Lead-
Free
Impact™ 100 Ohm 0761701008
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761701010
3 Pair Right Angle

Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761701016
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 16
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761701020
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761701026
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 16
Columns, 144
Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761701038
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Unguided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761702010
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.46mm,
Tin (Sn), Lead (Pb)
Impact™ 100 Ohm 0761702020
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,

Left Guided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Tin (Sn), Lead (Pb)
Impact™ 100 Ohm 0761703008
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761703010
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761703016
3 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free
Impact™ 100 Ohm 0761703020
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761703026
3 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free
Impact™ 100 Ohm 0761703038
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact™ 100 Ohm 0761703116
3 Pair Right Angle
Daughtercard
Receptacle, 1.90 by
1.35mm Pitch, Left
Guided, 16 Columns,
144 Circuits, Plated
Through Hole
Dimension 0.46mm,
Polarization Key A,
Lead-Free

Impact™ 100 Ohm 0761703120
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm ,
Polarization Key A,
Lead-Free

Impact™ 100 Ohm 0761703138
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm ,
Keying Orientation A,
Lead-Free

Impact™ 100 Ohm 0761703420
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 10
Columns, 90 Circuits,
Plated Through Hole
Dimension 0.39mm ,
Polarization Key D,
Lead-Free

Impact™ 100 Ohm 0761703638
3 Pair Right Angle
Daughtercard
Receptacle, 1.90
by 1.35mm Pitch,
Left Guided, 8
Columns, 72 Circuits,
Plated Through Hole
Dimension 0.39mm ,
Key Orientation F,
Lead-Free

This document was generated on 05/21/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION