

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [63813-1400](#)
Status: **Active**
Description: Manual Extraction Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

| | |
|--------------------------------|--|
| Product Family | Application Tooling |
| Series | T9999 |
| Function | Extraction |
| Geographic Area | Global |
| Level of Automation | Manual |
| More Detailed Tech Information | applicationtooling@molex.com |
| Product Name | N/A |
| Survey | www.molex.com//review/apptool_survey.html |
| Tool Type | Handtool |
| UPC | 756054688069 |

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-638131400, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN



EU RoHS **China RoHS**

Compliance Status
Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T9999Series

| Application Tooling Description | FAQ Product # |
|---------------------------------|---------------|
|---------------------------------|---------------|

| | |
|--|------------|
| 2.50mm Pitch SPOX™ Wire-to-Board Crimp Terminal, Reel | 0008701039 |
| 2.50mm Pitch SPOX™ Crimp Terminal, 22-28 AWG, Bag | 0008701040 |
| 2.50mm Pitch SPOX™ Wire-to-Board Crimp Terminal, 22-28 AWG, for 5264 Housing, Spring Box, Pre-Tin Plating, Low Profile Version | 0039000160 |
| 2.54mm Pitch MX64™ Terminal, Gold (Au) Plating, 22 AWG, Left Reel Payoff, Also used | 0334670004 |

| | |
|--|------------|
| with MX123™ Female Receptacle Housing 2.54mm Pitch | 0334670005 |
| MX64™ Terminal, Gold (Au) Plating, 18-20 AWG, Right Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch | 0334670006 |
| MX64™ Terminal, Gold (Au) Plating, 18-20 AWG, Left Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch | 0334680001 |
| MX64™ Terminal, Tin (Sn) Plating, 22 AWG, Right Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch | 0334680002 |
| MX64™ Terminal, Tin (Sn) Plating, 22 AWG, Left Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch | 0334680003 |
| MX64™ Terminal, Tin (Sn) Plating, 18-20 AWG, Right Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.54mm Pitch | 0334680004 |
| MX64™ Terminal, Tin (Sn) Plating, 18-20 AWG, Left Reel Payoff, Also used with MX123™ Female Receptacle Housing 2.50mm Pitch | 0456270002 |
| SPOX™ Male Crimp Terminal, 22 - 24 AWG, Reel 2.54mm Pitch | 0334670003 |
| MX64™ Terminal, Gold (Au) Plating, 22 AWG, Right Reel Payoff, Also used with MX123™ Female Receptacle Housing | |

This document was generated on 04/30/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION