

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [63819-0000](#)
Status: **Active**
Description: Hand Crimp Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0102
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PremiumGrade™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800756936826

Physical

Net Weight 332.600/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-638190000, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN



EU RoHS

ELV and RoHS Compliant

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T0102Series

Use With

Loose Piece Terminals

Application Tooling | FAQ

Description	Product #
Micro-Fit 3.0™ Crimp Terminal, Male, with Tin (Sn) Plated Tin/Brass Alloy Contact, 26-30 AWG, Bag	0430310010
Micro-Fit 3.0™ Crimp Terminal, Male, with Gold (Au) Plated Tin/Brass Alloy Contact, 26-30 AWG, Bag	0430310011
Micro-Fit 3.0™ Crimp Terminal, Male, with Select Gold (Au) Plated Tin/Brass Alloy Contact, 26-30 AWG, Bag	0430310012

Micro-Fit 3.0™ Crimp0430300001
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel

Micro-Fit 3.0™ Crimp0430300002
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel

Micro-Fit 3.0™ Crimp0430300003
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Reel

Micro-Fit 3.0™ Crimp0430300004
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Reel

Micro-Fit 3.0™ Crimp0430300005
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel

Micro-Fit 3.0™ Crimp0430300006
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Reel

Micro-Fit 3.0™ Crimp0430300007
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Bag

Micro-Fit 3.0™ Crimp0430300008
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Bag

Micro-Fit 3.0™ Crimp0430300009
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
20-24 AWG, Bag

Micro-Fit 3.0™ Crimp0430300010
Terminal, Female,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 26-30 AWG,
Bag

Micro-Fit 3.0™ Crimp0430300011
Terminal, Female,
with Select Gold (Au)
Plated Phosphor

Bronze Contact,
26-30 AWG, Bag
Micro-Fit 3.0™ Crimp0430300012
Terminal, Female,
with Select Gold (Au)
Plated Phosphor
Bronze Contact,
26-30 AWG, Bag
Micro-Fit 3.0™ Crimp0430310001
Terminal, Male,
with Tin (Sn) Plated
Phosphor Bronze
Contact, 20-24 AWG,
Reel
Micro-Fit 3.0™ Crimp0430310002
Terminal, Male, with
Gold (Au) Plated Tin/
Brass Alloy Contact,
20-24 AWG, Reel
Micro-Fit 3.0™ Crimp0430310003
Terminal, Male, with
Select Gold (Au)
Plated Tin/Brass
Alloy Contact, 20-24
AWG, Reel
Micro-Fit 3.0™ Crimp0430310004
Terminal, Male, with
Tin (Sn) Plated Tin/
Brass Alloy Contact,
26-30 AWG, Reel
Micro-Fit 3.0™ Crimp0430310005
Terminal, Male, with
Gold (Au) Plated Tin/
Brass Alloy Contact,
26-30 AWG, Reel
Micro-Fit 3.0™ Crimp0430310006
Terminal, Male, with
Select Gold (Au)
Plated Tin/Brass
Alloy Contact, 26-30
AWG, Reel
Micro-Fit 3.0™ Crimp0430310007
Terminal, Male, with
Tin (Sn) Plated Tin/
Brass Alloy Contact,
20-24 AWG, Bag
Micro-Fit 3.0™ Crimp0430310008
Terminal, Male, with
Gold (Au) Plated Tin/
Brass Alloy Contact,
20-24 AWG, Bag
Micro-Fit 3.0™ Crimp0430310009
Terminal, Male, with
Select Gold (Au)
Plated Tin/Brass
Alloy Contact, 20-24
AWG, Bag

This document was generated on 11/27/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION