

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [63819-0800](#)
Status: **Active**
Description: Hand Crimp Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	PremiumGrade™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800756957418

Physical

Net Weight 332.600/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-638190800, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN



EU RoHS

ELV and RoHS Compliant

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T9999Series](#)

Use With

1.57mm Pin and Socket Terminals 24-30 AWG
 2.50mm SPOX™ Terminals, 24-30 AWG
 2.54mm KK® Terminals 20-28 AWG

Application Tooling

FAQ

Description	Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	0002061131
2.50mm Pitch SPOX™ Wire-to-Wire Male Crimp Terminal, Reel	0008700102

2.50mm Pitch SPOX™ Crimp Terminal 5241, Bag 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm Pitch, Male, Tin (Sn) Plated Brass Contact, 22-28 AWG, Reel	0008700103
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm Pitch, Male, Tin (Sn) Plated Brass Contact, 22-28 AWG, Bag	0039000280
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm Pitch, Male, Tin (Sn) Plated Brass Contact, 22-28 AWG, Bag	0039000335
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm Pitch, Male, Gold (Au) Plated Brass Contact, 22-28 AWG, Reel	0039000336
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, 3.68mm Pitch, Male, Gold (Au) Plated Brass Contact, 22-28 AWG, Bag	0039000337
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, 3.68mm Pitch, Female, Tin (Sn) Plated Brass Contact, 22-28 AWG, Reel	0039000338
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, 3.68mm Pitch, Female, Tin (Sn) Plated Brass Contact, 22-28 AWG, Bag	0039000339
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, 3.68mm Pitch, Female, Gold (Au) Plated Brass Contact, 22-28 AWG, Reel	0039000340
1.57mm Diameter, Standard .062" Pin	0039000341

and Socket Crimp
Terminal, 3.68mm
Pitch, Female, Gold
(Au) Plated Brass
Contact, 22-28 AWG,
Bag
KK® High Pressure 0008550124
Crimp Terminal
7879, 22-30 AWG,
Reel Selective Gold
(Au)
KK® High Pressure 0050291900
Crimp Terminal
7879, 24-30 AWG,
Reel Tin (Sn)
KK® High Pressure 0469990101
Crimp Terminal
7879, 24-30 AWG,
Bag Tin (Sn)
1.57mm Diameter, 0002062132
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with Tin
(Sn) Plated Brass
Contact, 24-30 AWG,
Bag

This document was generated on 04/30/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION