

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [63901-5600](#)
Status: **Active**
Description: FineAdjust™ Applicator for Insulation OD 1.90-2.30mm - 18-24 AWG

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	FineAdjust™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Applicator
UPC	884982036659

Physical

Net Weight 4985.136/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-639015600, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN, TM-638004900, TM-638004900CN, TM-638004900DE, TM-638004900FR, TM-638004900IT, TM-638004900JP, TM-638004900KR, TM-638004900MY, TM-638004900PL, TM-638004900RU, TM-638004900SK, TM-638004900SP, TM-638004900TH, TM-638004900TW, TM-638004900VN




image - Reference only

EU RoHS

ELV and RoHS Compliant

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T9999Series](#)

Use With

Mini-Fit™ 30490 , 46098 , 46018 , 44485 .
 Mini-Fit Jr.™ 5556 , 5558 . Mini-Fit HCS™ 44476 , 44478. Mini-Fit Plus HCS™ 45750, 46012 , 46083

Application Tooling

FAQ

Description	Product #
--------------------	------------------

4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Tin (Sn) over Copper (Cu) Plated Brass, 18-24 AWG, Reel	0039000038
4.20mm Pitch Mini-Fit® Crimp Terminal, Male, with Tin (Sn) over Copper (Cu) Plated Brass Contact, 18-24 AWG, Reel	0039000040

4.20mm Pitch Mini- 0039000059
Fit® Crimp Terminal,
Female, Phosphor
Bronze, Tin (Sn),
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000061
Fit® Crimp Terminal,
Male, Phosphor
Bronze, Tin (Sn),
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000075
Fit® Crimp Terminal,
Male, Brass, Gold
(Au) Contact Plating,
Lead-free, 18-24
AWG, Reel

4.20mm Pitch Mini- 0039000120
Fit® Crimp Terminal,
Male, with Tin
(Sn) Plated Brass
Contact, 18-24 AWG,
Reel

4.20mm Pitch Mini- 0039000121
Fit® Crimp Terminal,
Male, with Tin
(Sn) Plated Brass
Contact, 18-24 AWG,
Bag

4.20mm Pitch Mini- 0039000126
Fit® Crimp Terminal,
Male, Tin (Sn),
Phosphor Bronze,
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000207
Fit® Crimp Terminal,
Female, with Tin
(Sn) over Nickel (Ni),
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000213
Fit® Crimp Terminal,
Female, Phosphor
Bronze, Tin (Sn),
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000219
Fit® Crimp Terminal,
Male, Phosphor
Bronze, Gold (Au),
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000430
Fit® Crimp Terminal,
Male, Brass, Gold
(Au) Contact Plating,
Lead-free, 18-24
AWG, Reel

Mini-Fit® Grounding 0304901002
Pin 30490, 18-24
AWG, Reel,
Phosphor Bronze ,
Tin or Select Gold
(Au)

Mini-Fit® Crimp 0304902002
Grounding Terminal,
Series 30490, Male,
with Tin (Sn) Plated
Phosphor Bronze

Contact, 18-24 AWG, Reel	
Mini-Fit® Plus HCS Crimp Terminal 45750, 18-20 AWG, Reel, Copper (Cu) Alloy, Tin (Sn)	0457501111
Mini-Fit® Plus HCS Crimp Terminal 45750, 18-20 AWG, Reel, Copper (Cu) Alloy, Gold (Au)	0457501211
Selective Mini-Fit® Plus HCS Crimp Terminal, 18-20 AWG, Reel, Tin (Sn) Plating	0460121141
Mini-Fit® Plus HCS Crimp Terminal, 18-20 AWG, Reel, 0.76µm Gold (Au) Selective Plating	0460121241
Mini-Fit® Plus HMC (High Mating Cycle) Female Crimp Terminal, 18-20 AWG, Reel, Select Gold (Au) Plating with Proprietary Molex Advanced Contact Surface Finish (CSF) in Contact Area	0460181541
4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 18-24 AWG, Reel	0039000073
4.20mm Pitch Mini- Fit® Crimp Terminal, Female, Phosphor Bronze, Gold (Au), 18-24 AWG, Reel	0039000181
4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 18-24 AWG, Reel	0039000428

This document was generated on 04/26/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION