

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [63902-3800](#)
Status: **Active**
Description: FineAdjust™ Applicator for Insulation OD 0.95-1.08mm - 22-28 AWG

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic, Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Product Name	FineAdjust™
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Applicator
UPC	884982652668

Physical


Net Weight 4984.276/g

Material Info

Reference - Drawing Numbers

Application Tooling Documents

ATS-639023800, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN, TM-638004900, TM-638004900CN, TM-638004900DE, TM-638004900FR, TM-638004900IT, TM-638004900JP, TM-638004900KR, TM-638004900MY, TM-638004900PL, TM-638004900RU, TM-638004900SK, TM-638004900SP, TM-638004900TH, TM-638004900TW, TM-638004900VN



EU RoHS

ELV and RoHS Compliant

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T9999Series](#)

Use With

Mini-Fit Jr.™, and Mini-Fit Plus™ Crimp Terminal 22-28 AWG [5556](#), [5558](#), [44485](#), [46083](#), [46134](#)

Application Tooling Description

FAQ Product #

4.20mm Pitch Mini-Fit® Crimp Terminal, Male, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	0039000221
4.20mm Pitch Mini-Fit® Crimp Terminal, Male, Brass, Gold (Au) Contact Plating, Lead-free, 22-28 AWG, Reel	0039000432
4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Tin (Sn) over Copper (Cu)	0039000046

Plated Brass, 22-28 AWG, Reel	
4.20mm Pitch Mini- Fit® Crimp Terminal, Male, with Tin (Sn) Plated Brass Contact, 22-28 AWG, Reel	0039000048
4.20mm Pitch Mini- Fit® Crimp Terminal, Female, Phosphor Bronze, Tin (Sn), 22-28 AWG, Reel	0039000065
4.20mm Pitch Mini- Fit® Crimp Terminal, Male, Phosphor Bronze, Tin (Sn), 22-28 AWG, Reel	0039000067
4.20mm Pitch Mini- Fit® Crimp Terminal, Male, Tin (Sn), Phosphor Bronze, 22-28 AWG, Reel	0039000128
4.20mm Pitch Mini- Fit® Crimp Terminal, Male, Brass, Gold (Au) Contact Plating, Lead-free, 22-28 AWG, Reel	0039000145
4.20mm Pitch Mini- Fit® Crimp Terminal, Female, with Tin (Sn) over Nickel (Ni), 22-28 AWG, Reel	0039000209
4.20mm Pitch Mini- Fit® Crimp Terminal, Female, Phosphor Bronze, Tin (Sn), 22-28 AWG, Reel	0039000215
Mini-Fit® Plus HMC (High Mating Cycle) Female Crimp Terminal, 22-24 AWG, Reel, Select Gold (Au) Plating with Proprietary Molex Advanced Contact Surface Finish (CSF) in Contact Area	0460182541
4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 22-28 AWG, Reel	0039000139
4.20mm Pitch Mini- Fit® Crimp Terminal, Female, Phosphor Bronze, Gold (Au), 22-28 AWG, Reel	0039000183
4.20mm Pitch Mini-Fit® Crimp	0039000434

Terminal, Female,
with Selective Gold
(Au) and Selective
Tin (Sn) over Nickel
(Ni), 22-28 AWG,
Reel

This document was generated on 05/07/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION