

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [63902-3900](#)  
**Status:** **Active**  
**Description:** FineAdjust™ Applicator for Insulation OD 1.40-1.70mm - 18-24 AWG

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic, Semi-Automatic
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	FineAdjust™
Survey	<a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a>
Tool Type	Applicator
UPC	884982652675

**Physical**

Net Weight 4985.046/g

**Material Info**

**Reference - Drawing Numbers**

Application Tooling Documents

ATS-639023900, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN, TM-638004900, TM-638004900CN, TM-638004900DE, TM-638004900FR, TM-638004900IT, TM-638004900JP, TM-638004900KR, TM-638004900MY, TM-638004900PL, TM-638004900RU, TM-638004900SK, TM-638004900SP, TM-638004900TH, TM-638004900TW, TM-638004900VN



**EU RoHS**

**ELV and RoHS Compliant**

**REACH SVHC**

Not Reviewed

**Low-Halogen Status**

Not Reviewed

**China RoHS**



**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

[T9999Series](#)

**Use With**

Mini-Fit Jr.™, Mini-Fit HCS™, and Mini-Fit Plus HCS™ Crimp Terminal 18-24 AWG 5556 , 5558 , 30490 , 44476 , 44478

**Application Tooling Description**

**FAQ Product #**

4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Tin (Sn) over Copper (Cu) Plated Brass, 18-24 AWG, Reel	0039000038
4.20mm Pitch Mini-Fit® Crimp Terminal, Male, with Tin (Sn) over Copper (Cu) Plated Brass Contact, 18-24 AWG, Reel	0039000040
4.20mm Pitch Mini-Fit® Crimp Terminal,	0039000059

Female, Phosphor  
Bronze, Tin (Sn),  
18-24 AWG, Reel  
4.20mm Pitch Mini- 0039000061  
Fit® Crimp Terminal,  
Male, Phosphor  
Bronze, Tin (Sn),  
18-24 AWG, Reel  
4.20mm Pitch Mini- 0039000075  
Fit® Crimp Terminal,  
Male, Brass, Gold  
(Au) Contact Plating,  
Lead-free, 18-24  
AWG, Reel  
4.20mm Pitch Mini- 0039000120  
Fit® Crimp Terminal,  
Male, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Reel  
4.20mm Pitch Mini- 0039000121  
Fit® Crimp Terminal,  
Male, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Bag  
4.20mm Pitch Mini- 0039000126  
Fit® Crimp Terminal,  
Male, Tin (Sn),  
Phosphor Bronze,  
18-24 AWG, Reel  
4.20mm Pitch Mini- 0039000207  
Fit® Crimp Terminal,  
Female, with Tin  
(Sn) over Nickel (Ni),  
18-24 AWG, Reel  
4.20mm Pitch Mini- 0039000213  
Fit® Crimp Terminal,  
Female, Phosphor  
Bronze, Tin (Sn),  
18-24 AWG, Reel  
4.20mm Pitch Mini- 0039000219  
Fit® Crimp Terminal,  
Male, Phosphor  
Bronze, Gold (Au),  
18-24 AWG, Reel  
4.20mm Pitch Mini- 0039000430  
Fit® Crimp Terminal,  
Male, Brass, Gold  
(Au) Contact Plating,  
Lead-free, 18-24  
AWG, Reel  
Mini-Fit® Grounding 0304901002  
Pin 30490, 18-24  
AWG, Reel,  
Phosphor Bronze ,  
Tin or Select Gold  
(Au)  
Mini-Fit® Crimp 0304902002  
Grounding Terminal,  
Series 30490, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 18-24 AWG,  
Reel

Mini-Fit® Plus HCS	0457501111
Crimp Terminal	
45750, 18-20 AWG,	
Reel, Copper (Cu)	
Alloy, Tin (Sn)	
Mini-Fit® Plus HCS	0457501211
Crimp Terminal	
45750, 18-20 AWG,	
Reel, Copper (Cu)	
Alloy, Gold (Au)	
Selective	
Mini-Fit® Plus HCS	0460121141
Crimp Terminal,	
18-20 AWG, Reel,	
Tin (Sn) Plating	
Mini-Fit® Plus HCS	0460121241
Crimp Terminal,	
18-20 AWG, Reel,	
0.76µm Gold (Au)	
Selective Plating	
Mini-Fit® Plus HMC	0460181541
(High Mating Cycle)	
Female Crimp	
Terminal, 18-20	
AWG, Reel, Select	
Gold (Au) Plating	
with Proprietary	
Molex Advanced	
Contact Surface	
Finish (CSF) in	
Contact Area	
4.20mm Pitch	0039000073
Mini-Fit® Crimp	
Terminal, Female,	
with Selective Gold	
(Au) and Selective	
Tin (Sn) over Nickel	
(Ni), 18-24 AWG,	
Reel	
4.20mm Pitch Mini-	0039000181
Fit® Crimp Terminal,	
Female, Phosphor	
Bronze, Gold (Au),	
18-24 AWG, Reel	
4.20mm Pitch	0039000428
Mini-Fit® Crimp	
Terminal, Female,	
with Selective Gold	
(Au) and Selective	
Tin (Sn) over Nickel	
(Ni), 18-24 AWG,	
Reel	

This document was generated on 04/29/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**