

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [63902-4900](#)  
**Status:** **Active**  
**Description:** FineAdjust™ Applicator for Insulation OD 2.30-2.60mm - 18-24 AWG

**Documents:**  
[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Automatic
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Product Name	FineAdjust™
Survey	<a href="http://www.molex.com//review/apptool_survey.html">www.molex.com//review/apptool_survey.html</a>
Tool Type	Applicator
UPC	884982706590

**Physical**

Net Weight 4985.196/g

**Material Info**

**Reference - Drawing Numbers**

Application Tooling Documents

ATS-639024900, TM-638000029, TM-638000029CN, TM-638000029DE, TM-638000029FR, TM-638000029IT, TM-638000029JP, TM-638000029KR, TM-638000029MY, TM-638000029PL, TM-638000029RU, TM-638000029SK, TM-638000029SP, TM-638000029TH, TM-638000029TW, TM-638000029VN, TM-638004900, TM-638004900CN, TM-638004900DE, TM-638004900FR, TM-638004900IT, TM-638004900JP, TM-638004900MY, TM-638004900PL, TM-638004900RU, TM-638004900SK, TM-638004900SP, TM-638004900TH, TM-638004900VN




image - Reference only

**EU RoHS**

**ELV and RoHS Compliant**

**REACH SVHC**

Not Reviewed

**Low-Halogen Status**

Not Reviewed

**China RoHS**



**Need more information on product environmental compliance?**

Email [productcompliance@molex.com](mailto:productcompliance@molex.com)  
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

**Search Parts in this Series**

T9999Series

**Use With**

Mini-Fit Jr.™, Mini-Fit HCS™, and Mini-Fit Plus HCS™ Crimp Terminal 18-24 AWG with Smaller Insulation OD's [5556](#) , [5558](#) , [30490](#) , [44476](#) , [44478](#)

**Application Tooling | FAQ**

Description	Product #
4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Tin (Sn) over Copper (Cu) Plated Brass, 18-24 AWG, Reel	0039000038
4.20mm Pitch Mini-Fit® Crimp Terminal, Male, with Tin (Sn) over Copper (Cu) Plated Brass Contact, 18-24 AWG, Reel	0039000040

4.20mm Pitch Mini- 0039000059  
Fit® Crimp Terminal,  
Female, Phosphor  
Bronze, Tin (Sn),  
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000061  
Fit® Crimp Terminal,  
Male, Phosphor  
Bronze, Tin (Sn),  
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000075  
Fit® Crimp Terminal,  
Male, Brass, Gold  
(Au) Contact Plating,  
Lead-free, 18-24  
AWG, Reel

4.20mm Pitch Mini- 0039000120  
Fit® Crimp Terminal,  
Male, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Reel

4.20mm Pitch Mini- 0039000121  
Fit® Crimp Terminal,  
Male, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Bag

4.20mm Pitch Mini- 0039000126  
Fit® Crimp Terminal,  
Male, Tin (Sn),  
Phosphor Bronze,  
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000207  
Fit® Crimp Terminal,  
Female, with Tin  
(Sn) over Nickel (Ni),  
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000213  
Fit® Crimp Terminal,  
Female, Phosphor  
Bronze, Tin (Sn),  
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000219  
Fit® Crimp Terminal,  
Male, Phosphor  
Bronze, Gold (Au),  
18-24 AWG, Reel

4.20mm Pitch Mini- 0039000430  
Fit® Crimp Terminal,  
Male, Brass, Gold  
(Au) Contact Plating,  
Lead-free, 18-24  
AWG, Reel

Mini-Fit® Grounding 0304901002  
Pin 30490, 18-24  
AWG, Reel,  
Phosphor Bronze ,  
Tin or Select Gold  
(Au)

Mini-Fit® Crimp 0304902002  
Grounding Terminal,  
Series 30490, Male,  
with Tin (Sn) Plated  
Phosphor Bronze

Contact, 18-24 AWG, Reel	
Mini-Fit® Plus HCS Crimp Terminal 45750, 18-20 AWG, Reel, Copper (Cu) Alloy, Tin (Sn)	0457501111
Mini-Fit® Plus HCS Crimp Terminal 45750, 18-20 AWG, Reel, Copper (Cu) Alloy, Gold (Au)	0457501211
Selective Mini-Fit® Plus HCS Crimp Terminal, 18-20 AWG, Reel, Tin (Sn) Plating	0460121141
Mini-Fit® Plus HCS Crimp Terminal, 18-20 AWG, Reel, 0.76µm Gold (Au) Selective Plating	0460121241
Mini-Fit® Plus HMC (High Mating Cycle) Female Crimp Terminal, 18-20 AWG, Reel, Select Gold (Au) Plating with Proprietary Molex Advanced Contact Surface Finish (CSF) in Contact Area	0460181541
4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 18-24 AWG, Reel	0039000073
4.20mm Pitch Mini- Fit® Crimp Terminal, Female, Phosphor Bronze, Gold (Au), 18-24 AWG, Reel	0039000181
4.20mm Pitch Mini-Fit® Crimp Terminal, Female, with Selective Gold (Au) and Selective Tin (Sn) over Nickel (Ni), 18-24 AWG, Reel	0039000428

This document was generated on 04/29/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**