

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [64003-1100](#)
Status: **Active**
Description: Hand Crimp Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T0102
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	822348637232


Material Info

Old Part Number RHT-1751

Reference - Drawing Numbers

Application Tooling Documents

ATS-640031100, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP, TM-640160065TH, TM-640160065TW, TM-640160065VN



EU RoHS

China RoHS

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

[T0102Series](#)

Use With

Loose Piece Terminals

Application Tooling | **FAQ**

Description	Product #
Krimptite™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.51mm	0190160001
Krimptite™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire, Box, Tab 2.79 x 0.81mm	0190160003
Krimptite™ Quick Disconnect, Female, for 18-22 (0.80-0.35mm ²) Wire,	0190160005

Box, Tab 4.75 x
0.51mm
Krimptite™ Quick 0190160006
Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Box, Tab 4.75 x
0.81mm
Krimptite™ Quick 0190160009
Disconnect,
Female, for 18-22
(0.80-0.35mm²) Wire,
Box, Tab 6.35 x
0.81mm
Krimptite™ Quick 0190160035
Disconnect,
Female, for 14-16
(2.00-1.30mm²) Wire,
Box, Tab 2.79 x
0.51mm
Krimptite™ Quick 0190160037
Disconnect,
Female, for 14-16
(2.00-1.30mm²) Wire,
Box, Tab 2.79 x
0.81mm
Krimptite™ Quick 0190160039
Disconnect,
Female, for 14-16
(2.00-1.30mm²) Wire,
Box, Tab 4.75 x
0.51mm
Krimptite™ Quick 0190160040
Disconnect,
Female, for 14-16
(2.00-1.30mm²) Wire,
Box, Tab 4.75 x
0.81mm
Krimptite™ Quick 0190160111
Disconnect,
Female, for 14-16
(2.00-1.30mm²) Wire,
Box, Tab 6.35 x
0.81mm
Krimptite™ Snap 0190370002
Plug Receptacle,
for 18-22 AWG
Wire, Box, 16.26mm
Length
Krimptite™ Snap 0190370004
Plug Receptacle,
for 14-16 AWG
Wire, Box, 16.26mm
Length
Krimptite™ Snap 0190370006
Plug Receptacle,
for 14-16 AWG
Wire, Box, 17.80mm
Length
Krimptite™ Female 0190370010
Bullet Receptacle for
18-22 AWG Wire,
3.96mm Diameter,
Open Barrel, Metal
Strip Carrier

Krimptite™ Quick Disconnect, Female Steel 900 Degree F/383 Degree C, 14-16 AWG, Tab 6.35mm	0192030390
Quixon Quick Disconnect, Krimptite™ Style, Female, Uninsulated, 18-20 AWG, Loose	0192730007
Quixon Quick Disconnect, Krimptite™ Style, Female, Uninsulated, 14-16 AWG, Loose	0192730008

This document was generated on 11/27/2012

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION